





Electronic Rack Equipment (240VAC FM Approved Models)



Intellitrol® Multi-channel Multi-function Control System

Item	Part #	Model / Description
To order a control monitor with a label in a language other than English, add the following codes after the part number: "S" for Spanish, "F" for French & "G" for German Example: to order an Intellitrol with overfill and grounding (earthing) and with a Spanish label, specify part number 08913S		
 Intellitrol®	08909	IC-OGV Intellitrol, Overfill, Ground & V.I.P. *
	08908	IC-OG Intellitrol, Overfill & Ground *
	08907	IC-O Intellitrol, Overfill *
	08939	Bypass Authorizer, Intellitrol
	08951	Intelliview® Terminal Windows® Software
 Sculcon Junction Box Kit	09001	Kit,RS-232 To RS-485 Converter
	08156	SC- 6A Sculcon ® Junction Box Kit, Green Plug, Orange Coil Cable,30'
	07582	SC -6A Sculcon Junction Box Kit, Green Plug, Orange Straight Cable,20'
	08159	SC -6W Sculcon Junction Box Kit, Blue Plug, Blue Coil Cable,30'
	08139	SC -6W Sculcon Junction Box Kit, Blue Plug, Blue Straight Cable,20'
	08729	SC -8A Sculcon Junction Box Kit, Green Plug, Orange Coil Cable,30'
	07581	SC -8A Sculcon Junction Box Kit, Green Plug, Orange Straight Cable,20'

*Factory configured for 115VAC range. Unit may be configured for 240VAC input power voltage via jumper selection.

Dynacheck, Dynamic Faylsafe, Dynamic Self-Testing, Faylsafe, IntelliCheck, Intellitrol, Intelliview, Maxsafety, Scully. Sculcon, Scully V.I.P, are registered trademarks of Scully Signal Company.
Instant-On, Groundhog™ are trademarks of Scully Signal Company


Scully Signal Company

Worldwide Headquarters · 70 Industrial Way · Wilmington, MA 01887 USA
 phone: 1-617-692-8600 · toll free: 1-800-272-8559 · fax: 1-617-692-8620
 www.scully.com · sales@scully.com



Electronic Rack Equipment (240VAC FM Approved Models)


Intellitrol Replacement Parts

Item	Part #	Model / Description
	08979OGV	Module Assembly, IC-OGV Overfill, Ground & V.I.P. Intellitrol
	08979OG	Module Assembly, IC-OG Overfill & Ground Intellitrol
	08979O	Module Assembly, IC-O Overfill Intellitrol
	08980	Lens Assembly Replacement, Intellitrol
	09015	Kit, Lens Upgrade, Intellitrol
	32085	Mask, Lens, English, Overfill & Ground
	32086	Mask, Lens, English, Overfill, Ground & V.I.P.
	08982	Display Cable Assembly, Intellitrol
	08981	Replacement Display Circuit Board, Intellitrol
	26373	Fuse,Hint,1/4 x 1-1/4,250V,1A
	26372	Fuse,Hint,1/4 x 1-1/4,250V,5A
	50005	Cover Bolt, A2-70,M8 x 1.25 x 25mm
	31340	Cover O-ring -277,BUNA-N
40268	Corrosion Inhibitor	

Note: Controller Models:


Explosion-proof housing (E), Indicator Lights (L), Key (K) Lockable Bypass Switch

ST-35 Multi-Point Optic Overfill Prevention System

Item	Part #	Model / Description
	07931	ST-35-240-ELK Multi-Point Optic Controller
	08159	SC-6W Sculcon Junction Box Kit, Blue Plug, Blue Coil Cable,30'
	08139	SC-6W Sculcon Junction Box Kit, Blue Plug, Blue Straight Cable,20'

ST-35

ST-35 Replacement Parts

Item	Part #	Model / Description
	07923	Module Assembly, ST-35-240 Multi-Point Optic Controller
	26311	Fuse, 5A Main Fuse
	08345	Pilot Light Replacement Kit, Green (240V)
	08346	Pilot Light Replacement Kit, Red (240V)
	09122	Replacement Lens, Red
	09123	Replacement Lens, Green
	27006	Bulb, 240V,10W Candelabra
	08360	Lock Box Replacement Parts, ST-15/ST-35
	26055	Bypass Switch Operator, 3 Position
	26022	Contact Block, Bypass Switch

Scully Signal Company

Worldwide Headquarters · 70 Industrial Way · Wilmington, MA 01887 USA
 phone: 1-617-692-8600 · toll free: 1-800-272-8559 · fax: 1-617-692-8620
 www.scully.com · sales@scully.com



Electronic Rack Equipment (240VAC FM Approved Models)

Note: Controller Models:

Explosion-proof housing (E), Indicator Lights (L), Key (K) Lockable Bypass Switch


ST-15 Single Point Thermistor Controller 240VAC



ST-15

Item	Part #	Model / Description
	07547	ST-15-240-ELK Single Point Thermistor Controller
	07640	ST-15-240-EL Single Point Thermistor Controller
	08156	SC-6A Sculcon Junction Box Kit, Green Plug, Orange Coil Cable,30'
	07582	SC-6A Sculcon Junction Box Kit, Green Plug, Orange Straight Cable,20'

ST-15 Replacement Parts



Item	Part #	Model / Description
	07699	Module Assembly, ST-15-240H Single Point Controller
	26311	Fuse, 5A Main Fuse
	08345	Pilot Light Replacement Kit, Green (240V)
	08346	Pilot Light Replacement Kit, Red (240V)
	09122	Replacement Lens, Red
	09123	Replacement Lens, Green
	27006	Bulb, 240V,10W Candelabra
	08360	Lock Box Replacement Parts, ST-15/ST-35
	26055	Bypass Switch Operator, 3 Position
	26022	Contact Block, Bypass Switch

Scully Signal Company

Worldwide Headquarters · 70 Industrial Way · Wilmington, MA 01887 USA
phone: 1-617-692-8600 · toll free: 1-800-272-8559 · fax: 1-617-692-8620
www.scully.com · sales@scully.com




Electronic Rack Equipment (240VAC FM Approved Models)

Note: Controller Models:


Explosion-proof housing (E), Indicator Lights (L), Key (K) Lockable Bypass Switch

ST-47 Groundhog Static Ground Proving Control System

Item	Part #	Model / Description
	08502	ST-47-240 ELK, Groundhog Ground-proving Controller
	08675	ST-47-240 EL, Groundhog Ground-proving Controller
	08249	SC-47 Sculcon Junction Box Ground Plug, Black Straight Cable,20'
	08567	SC-47CC Sculcon Junction Box Kit, Ground Plug, Black Coil Cable,32'

**ST-47
Groundhog™**

ST-47 Groundhog Replacement Parts

Item	Part #	Model / Description
	22407	Control Module, ST-47-240 Groundhog
	26311	Fuse, 5A, Relay Contact Fuse
	08345	Pilot Light Replacement Kit, Green (240V)
	08346	Pilot Light Replacement Kit, Red (240V)
	09122	Replacement Lens, Red
	09123	Replacement Lens, Green
	27006	Bulb, 240V,10W Candelabra
	08350	Lock Box Replacement Parts, Groundhog
	26055	Bypass Switch Operator, 3 Position
	26022	Contact Block, Bypass Switch


Scully Signal Company

Worldwide Headquarters · 70 Industrial Way · Wilmington, MA 01887 USA
phone: 1-617-692-8600 · toll free: 1-800-272-8559 · fax: 1-617-692-8620
www.scully.com · sales@scully.com



Electronic Rack Equipment (240VAC FM Approved Models)

V.I.P. Vehicle Identification Prover Control System

Item	Part #	Model / Description
	08899	VIP Controller, Explosion Proof, 115VAC*
	08865	VIP Electronic Bypass Key W/Chain Holder
	08917	PSION T.I.M.™ Truck Identification Module, Reader/Tester
	08857	Adaptor, TIM Programming, SJ-6A Socket, Green Plug
	V.I.P.® 08858	Adaptor, TIM Programming, SJ-6W Socket, Blue Plug

*Factory configured for 115VAC range. Unit may be configured for 240VAC input power voltage via jumper selection.

V.I.P. Replacement Parts

Item	Part #	Model / Description
	32040	VIP Controller Module
	32097	Bypass Authorizer Touch Key Replacement Assembly
	32096	Replacement LED Lamp Assembly, Green
	32094	Replacement LED Lamp Assembly Red
	32095	Replacement LED Lamp Assembly Yellow

Scully Signal Company

Worldwide Headquarters · 70 Industrial Way · Wilmington, MA 01887 USA
phone: 1-617-692-8600 · toll free: 1-800-272-8559 · fax: 1-617-692-8620
www.scully.com · sales@scully.com



Electronic Rack Equipment (240VAC FM Approved Models)

Sculcon Replacement Parts




Replacement Coiled
Cable with Plug




Replacement Plug


SC-6A Plug & Cable Replacement Parts

Item	Part #	Model / Description
 SC-6A Plug Configuration	21818	Plug & Cable Assembly, SC-6A Green Plug, Orange Coil Cable, 30'
	20830	Plug & Cable Assembly, SC-6A Green Plug, Orange Straight Cable, 20'
	31097	Cable Assembly, SC-6A/8A, Orange Coil Cable, 30'
	20834	Cable Assembly, SC-6A/8A, Orange Straight Cable, 20'
	20769	Plug Assembly, SC-6A, Green
	22290	Contact Insert Assembly, SC-6A, Thermistor, 8 Pin
	20847	Strain Relief Assembly, 5/8"

SC-8A Plug & Cable Replacement Parts

Item	Part #	Model / Description
 SC-8A Plug Configuration	31092	Plug & Cable Assembly, SC-8A, Green Plug, Orange Coil Cable, 30'
	20831	Plug & Cable Assembly, SC-8A, Green Plug, Orange Straight Cable, 20'
	31097	Cable Assembly, SC-6A/8A, Orange Coil Cable, 30'
	20834	Cable Assembly, SC-6A/8A, Orange Straight Cable, 20'
	20767	Plug Assembly, SC-8A, Green
	20758	Contact Insert Assembly, SC-8A, 10 Pin
	20847	Strain Relief Assembly, 5/8"

SC-6W Plug & Cable Replacement Parts

Item	Part #	Model / Description
 SC-6W Plug Configuration	21831	Plug & Cable Assembly, SC-6W, Blue Plug, Blue Coil Cable, 30'
	21764	Plug & Cable Assembly, SC-6W, Blue Plug, Blue Straight Cable, 20'
	31099	Cable Assembly, SC-6W, Blue Coil Cable, 30'
	31098	Cable Assembly, SC-6W, Blue Straight Cable, 20'
	21766	Plug Assembly, SC-6W, Blue
	21772	Contact Insert Assembly, SC-6W/60A, Optic Plug
	20986	Strain Relief Assembly, 1/2"

Scully Signal Company


Worldwide Headquarters · 70 Industrial Way · Wilmington, MA 01887 USA
 phone: 1-617-692-8600 · toll free: 1-800-272-8559 · fax: 1-617-692-8620
 www.scully.com · sales@scully.com



Electronic Rack Equipment (240VAC FM Approved Models)




SC-6AO Plug & Cable Replacement Parts

Item	Part #	Model / Description
	31099	Cable Assembly, SC-6W, Blue Plug, Coil Cable, 30'
	31098	Cable Assembly, SC-6W, Straight Cable, 20'
	21819	Plug Assembly, SC-6W, Blue Plug
	21772	Contact Insert Assembly, SC-6W, Optic Plug
	20986	Strain Relief Assembly, 1/2"


SC-6AO Plug Configuration

Sculcon Junction Box Replacement Parts


Item	Part #	Model / Description
	32319	Sculcon Box Assembly
	09300	Blue Optic Cable Strain Relief Bushing Kit
	20846	Strain Relief, 5/8" – Orange Cable
	20986	Strain Relief, 1/2" – Blue Cable
	32445	Strain Relief, 3/8" – Grounding Cable

Sculcon® Junction Box

SC-47 Sculcon Replacement Parts

Item	Part #	Model / Description
	08566	Plug & Cable Assembly, Groundhog Plug, Coil Cable, 32' (For SC-47CC)
	08219	Plug & Cable Assembly, Groundhog Plug, Straight Cable, 20' (For SC-47)
SC-47 Plug	09029	Replacement Cable Assembly, Coil Cable, 32'
	09028	Replacement Cable Assembly, Straight Cable, 20'
	28713	Cable, Straight Cable (priced per foot)
	08565	Replacement Plug (For SC-47)

Rack Testers

Item	Part #	Model / Description
	08268	ST-2-DSWJ, Universal Loading Rack Tester(Biclops)
	08115	ST-2-OTRA, Optic Truck and Rack Tester with Scully Style Plug
	08162	ST-2-OTRW, Optic Truck and Rack Tester with WOGA Style Plug, 3 J-Slot Battery, 12V, for ST-2 Series Testers
	26901	

Tester

Scully Signal Company

Worldwide Headquarters · 70 Industrial Way · Wilmington, MA 01887 USA
 phone: 1-617-692-8600 · toll free: 1-800-272-8559 · fax: 1-617-692-8620
 www.scully.com · sales@scully.com



Electronic Rack Equipment (240VAC FM Approved Models)

Terms and Conditions

Pricing	All prices in U.S. Dollars.
Ordering	Minimum order requirements of \$150 apply to all orders. Contact Scully for details. Under no circumstances can we accept add on orders after the original order has been received by Scully. Cancellations subject to a \$50 charge or 10% of the amount of the acknowledgement, whichever is greater. Orders that cross Scully standard product lines are not permitted.
Delivery & Shipping	All goods shipped EX Works, Wilmington MA U.S.A. (Based on Incoterms 2000). Drop shipments are not permitted unless prior arrangements are made. Upon Buyer's receipt of shipment, Buyer shall immediately inspect the goods. Unless Buyer provides Seller with written notice of any claim for shortages of or defects in the Goods within forty-eight (48) hours after receipt of shipment, such Goods shall be deemed finally inspected, checked and accepted by Buyer.
Payment	All orders and shipments shall at all times be subject to the approval of the Seller's Credit Department. The Seller reserves the right of declining to make shipment whenever, for any reason, there is doubt as to Buyer's financial responsibility and Seller shall not in such event be liable for breach or nonperformance of contract in whole or in part.
Taxes	Unless otherwise specifically provided on the face hereof, the price for the Goods purchased is net and does not include sales, use, VAT, customs duties or other taxes, whether regional, federal, state or local. Buyer shall pay the amount of any such taxes applicable to the Goods in the same manner and with the same effect as if originally included in the purchase price.
Finance Charges	A finance charge of 18% per annum will be applied to unpaid invoice balances after thirty (30) days. The charge is computed by an average daily balance method.
Returned Goods	Goods may not be returned to Scully without an RMA (Returned Merchandise Authorization) number. RMA Number may be obtained by letter, phone or fax from Scully. All cartons/containers must be clearly marked with the RMA number. Returns made without an RMA will be held/returned at the Buyers' expense.
Return Credits	No credit shall be issued without written authorization. All returned goods must be accompanied by an RMA number, and both product and packaging must be in saleable conditions. Credits shall be less a maximum 25% restocking charge.
Limited Warranty	Scully warrants Scully electronic equipment manufactured by Scully Signal Company ("Scully") to be free from defects in material and workmanship under normal use and service for a period of two years from date of shipment from Scully. Peripheral equipment, such as cables, clamps, connectors, bulbs etc. manufactured by Scully, is warranted for a period of 90 days from installation. See warranty card provided with product for other details.
Corrections and Changes	All typographic and clerical errors are subject to correction without notice. All published or quoted prices, discounts, terms and conditions subject to change without notice.
	Effective Date: July 1, 2002

Scully Signal Company

Worldwide Headquarters · 70 Industrial Way · Wilmington, MA 01887 USA
phone: 1-617-692-8600 · toll free: 1-800-272-8559 · fax: 1-617-692-8620
www.scully.com · sales@scully.com