

Fastener Solutions.

Avery Dennison™ Mattress Fastening System



Retail Information Services

One Company. Many Solutions.

## Avery Dennison™ Mattress Fastening System




Start saving time and money every day with a new method of securing foam layers. The new Mattress Fastening System is designed to replace messy sprays, hot melt glues and water based adhesives. No mess. No curing time. No odors!

In one quick click, EHD T-End Fasteners can join multiple layers of foam faster than glues and adhesives. Unlike glue, EHD T-End Fasteners secure layers simultaneously, yet allow easy repositioning to improve quality and reduce waste.

With EHD T-End Fasteners, there are no shifting or “crackling” problems. When adhesives fail, foam layers can shift or make a “crackling” noise, which prompts some consumers to return their new mattress. EHD T-End Fasteners virtually eliminate adhesive failure, reducing returns, and assuring customer satisfaction.

The new EHD T-End Fastener is made of durable nylon plastic which is odor free. And this system reduces the need for glue – which means increased worker comfort.




Eliminate manufacturing bottlenecks with this new securing system that streamlines material handling. Labor is reduced, and curing time associated with glues and adhesives is eliminated. You’ll enjoy greater productivity.

Fastening pocket springs to foam encasements and securing flanges is a snap, too.

For a free demonstration, please contact the nearest Fastener Solutions office listed on the back page.

Ready. Fasten. Done. The long EHD needle easily penetrates multiple foam layers. The inserted T-End Fastener holds neatly and securely with no glues or adhesives.



Easy squeeze Actuator reduces fatigue.

Soft foam grip for operator comfort.

Fastener guide allows easy fastener loading.

Needle one size for multiple foam thicknesses.

Needle stop and protective guard adjusts to specific application thickness.

### Tools

Item No.	Description	Pkg. Qty.
10791	EHD Industrial Long Needle Tool (Mattress)	1

### Micro Needles

Item No.	Description	Pkg. Qty.
10792	EHD Long Needle	1

### Fasteners



Natural, Connected Paddle, 50 Per Clip

Item No.	Overall Length	Filament Length	Min. Tensile*	Pkg Qty.	Case Qty.
10575	.86"/22mm	.75"/19mm	11.5lbs/5.2kg	5,000	50,000
10576	1.37"/35mm	1.27"/32mm	11.5lbs/5.2kg	5,000	50,000
10760	1.30"/33mm	1.10"/28mm	14.5lbs/6.6kg	2,500	50,000
10761	1.42"/36mm	1.22"/31mm	14.5lbs/6.6kg	2,500	50,000
10762	1.53"/39mm	1.34"/34mm	14.5lbs/6.6kg	2,500	50,000
10763	1.65"/42mm	1.45"/37mm	14.5lbs/6.6kg	2,500	50,000
10764	1.77"/45mm	1.57"/40mm	14.5lbs/6.6kg	2,500	50,000
10765	1.88"/48mm	1.69"/43mm	14.5lbs/6.6kg	2,500	50,000
10766	2"/51mm	1.81"/46mm	14.5lbs/6.6kg	2,500	50,000
10767	2.12"/54mm	1.93"/49mm	14.5lbs/6.6kg	2,500	50,000
10768	2.24"/57mm	2.05"/52mm	14.5lbs/6.6kg	2,500	50,000
10769	2.36"/60mm	2.16"/55mm	14.5lbs/6.6kg	2,500	50,000
10770	2.47"/63mm	2.28"/58mm	14.5lbs/6.6kg	2,500	50,000
10771	2.59"/66mm	2.40"/61mm	14.5lbs/6.6kg	2,500	50,000
10772	2.71"/69mm	2.52"/64mm	14.5lbs/6.6kg	2,500	50,000
10773	2.83"/72mm	2.64"/67mm	14.5lbs/6.6kg	2,500	50,000
10774	2.95"/75mm	2.75"/70mm	14.5lbs/6.6kg	2,500	50,000
10775	3.07"/78mm	2.87"/73mm	14.5lbs/6.6kg	2,500	50,000

\*Minimum tensile strength after application.

## Avery Dennison Retail Information Services Fastener Solutions Worldwide Locations

### Brazil

Avery Dennison do Brasil Ltda.  
Rua Francisco Foga, 225  
CP 18 – CEP 13280-000  
Vinhedo-SP, Brasil  
Tel: 55-19-3876-7696 / 0800-7010076  
Fax: 55-19-3876-6763  
Email: [fastener.brazil@averydennison.com](mailto:fastener.brazil@averydennison.com)

### Canada

Avery Dennison Canada, Inc.  
Fastener & Hand Labeling Div.  
195 Admiral Blvd.  
Mississauga, ON L5T 2T3  
Tel: 800-363-2347  
Fax: 800-263-2347  
Email: [fastcan@averydennison.com](mailto:fastcan@averydennison.com)

### China

Avery Dennison (GuangZhou) Converted Products Ltd.  
Factory No. 2, Jin Ling Road  
Da Chong Village  
Nansha Economic and Technological Development Zone  
Guangzhou, 511458 PRC  
Phone: (86-20) 8498-4000  
Fax: (86-20) 8498-3401  
Email: [mktg\\_fap@ap.averydennison.com](mailto:mktg_fap@ap.averydennison.com)

### Europe – Middle East – Africa

Avery Dennison Fastener Europe  
Unit 1, Thomas Road  
Wooburn Ind. Park  
Wooburn Green  
Bucks HP10 0PE  
United Kingdom  
Tel: 44 (0) 1628 859530  
Fax: 44 (0) 1628 859567  
Email: [fastenersaleseuro@eu.averydennison.com](mailto:fastenersaleseuro@eu.averydennison.com)

### France – Benelux

Avery Dennison Fastener France  
10/12 Rue du saule Trapu BP 217  
91882 Massy Cedex  
France  
Tel: 33 (0) 169 535654  
Fax: 33 (0) 169 530417  
Email: [fastener.france@eu.averydennison.com](mailto:fastener.france@eu.averydennison.com)

### Germany – Austria – Switzerland

Avery Dennison Deutschland GmbH  
Geschäftsbereich Fastener  
Ohmstrasse 3  
85 386 Eching  
Germany  
Tel: 08165 / 925 300  
Fax: 08165 / 925 321  
Email: [fastener-de@eu.averydennison.com](mailto:fastener-de@eu.averydennison.com)

### Hong Kong

Avery Dennison (Hong Kong) Ltd.  
2/F Chun Choi Street  
Yan Hing Industrial Bldg.  
Tseung Kwan O Industrial Estate  
Hong Kong  
Phone: 852-2555-9441  
Fax: 852-2873-6436  
Email: [info\\_fap@ap.averydennison.com](mailto:info_fap@ap.averydennison.com)

### Italy

Avery Dennison Fastener Italia SpA  
Via per Uboldo 48  
21040 Gerenzano (VA)  
Italia  
Tel: 39 02 966 82 35  
Fax: 39 02 966 82 49  
Email: [fastener-it@eu.averydennison.com](mailto:fastener-it@eu.averydennison.com)

### Japan – Osaka Office

Avery Dennison Overseas Corporation  
Shin-Osaka Ikushima Bldg, 7F  
5-1-3 Miyahara, Yodogawa-ku  
Osaka-City, Osaka 532-0003  
Japan  
Phone: 81-6-397-7451  
Fax: 81-6-397-7453  
Email: [info\\_fap@ap.averydennison.com](mailto:info_fap@ap.averydennison.com)

### Japan – Tokyo Office

Avery Dennison Overseas Corporation  
6-47-8 Fujimi-Cho  
Tachikawa-City  
Tokyo 190-0013  
Japan  
Phone: 81-42-526-7310  
Fax: 81-42- 526-7315  
Email: [info\\_fap@ap.averydennison.com](mailto:info_fap@ap.averydennison.com)

### Korea

Avery Dennison Korea Ltd.  
872, Kwan Yang 2-Dong, DongAn-Ku  
AnYang-Si, Kyounggi-Do  
Korea 431-062  
Phone: 82-31-425-6140  
Fax: 82-31-425-6145  
Email: [info\\_fap@ap.averydennison.com](mailto:info_fap@ap.averydennison.com)

### Mexico

Avery Dennison de Mexico  
Aristoteles #123  
Parque Industrial Kalos  
Apodaca, Nuevo Leon  
66600 Mexico  
Phone: 52 (81) 8864-4100  
Fax: 52 (81) 8864-4101  
Email: [fastener.mexico@averydennison.com](mailto:fastener.mexico@averydennison.com)

### Turkey

Avery Dennison Etiket Tic. Ltd. Sti.  
Bablar mah. Yalcin Kores Cad.  
No. 22 A Blok 34540  
Gunesli-Bagcilar – Istanbul, Turkey  
Tel: 90 212 489-3120  
Fax: 90 212 489-3143  
Email: [fastener-tr@eu.averydennison.com](mailto:fastener-tr@eu.averydennison.com)

### United Kingdom

Avery Dennison UK Limited  
Unit 1, Thomas Road  
Wooburn Ind. Park  
Wooburn Green  
Bucks HP10 0PE  
United Kingdom  
Tel: 44 (0) 1628 859530  
Fax: 44 (0) 1628 859567  
Email: [fastenersalesuk@eu.averydennison.com](mailto:fastenersalesuk@eu.averydennison.com)


### United States

Avery Dennison Corporation  
Fastener Division  
224 Industrial Road  
Fitchburg, MA 01420  
Tel: 800-225-5913  
Fax: 800-848-2169  
Email: [fastener.usa@averydennison.com](mailto:fastener.usa@averydennison.com)

### A Worldwide Resource.

### Global Consistency.

Operating in over 15 locations and manufacturing zones throughout the world, Avery Dennison is committed to delivering your fastening needs when and where you need them... on time and in-country.



### One World. Many Locations.



## Retail Information Services

All statements, technical information and recommendations about Avery Dennison products are based upon tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that Purchaser has independently determined the suitability of such products for its purposes. Avery Dennison products are warranted to be free from defects in material and workmanship for either 90 days (or the period stated on the specific product information literature in effect at time of delivery, if longer) from date of shipment. It is expressly agreed and understood that Avery Dennison's sole obligation and Purchaser's exclusive remedy under this warranty, under any other warranty, express or implied, or otherwise, shall be limited to repair or replacement of defective product without charge at Avery Dennison's plant or at the location of product (at Avery Dennison's election), or in the event replacement or repairs is not commercially practical, to Avery Dennison's issuing Purchaser a credit reasonable in light of the defect in the product.

Avery Dennison's liability for defective products shall not exceed the purchase price paid by Purchaser and in no event shall Avery Dennison be responsible for any incidental or consequential damages whether foreseeable or not, caused by defects in such product, whether such damage occurs or is discovered before or after replacement or credit, and whether or not such damage is caused by Avery Dennison's negligence.

NO EXPRESS WARRANTIES AND NO IMPLIED WARRANTIES, WHETHER OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR USE, OR OTHERWISE (EXCEPT AS TO TITLE), OTHER THAN THOSE EXPRESSLY SET FORTH ABOVE WHICH ARE MADE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, SHALL APPLY TO PRODUCTS SOLD BY AVERY DENNISON. AVERY DENNISON SPECIFICALLY DISCLAIMS AND EXCLUDES ALL OTHER SUCH WARRANTIES. NO WAIVER, ALTERATION, ADDITION OR MODIFICATION OF THE FOREGOING CONDITIONS SHALL BE VALID UNLESS MADE IN WRITING AND MANUALLY SIGNED BY AN OFFICER OF AVERY DENNISON.

© 2006 Avery Dennison Corporation. All rights reserved. Avery and all other Avery brands, product names and codes are trademarks of the Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners.