

jesco® CYLINDER STORAGE CABINETS

Designed to be used for storage of either full or empty 33# or 43# LP cylinders.


5 sizes available to meet your requirements.

Painted yellow.

Shipped KD.



Model 116060




Model 116080

Part No	Capacity	Doors	Dimensions	Weight
116050	4 cylinders	1	30"L x 41"W x 42"H	249 lbs
116055	6 cylinders	1	30"L x 41"W x 56"H	306 lbs
116060	8 cylinders	1	30"L x 41"W x 72"H	358 lbs
116070	12 cylinders	1	42"L x 41"W x 72"H	440 lbs
116080	16 cylinders	2	60"L x 41"W x 72"H	586 lbs

jesco® VERTICAL STORAGE CABINETS



Model 116514



Model 116524

Store and protect your vertical cylinders in a tamper proof cabinet.

Rectangular 2" x 1" mesh welded to steel angle and channel frames. Heavy duty hinges and padlock lugs. Galvanized steel roof. Safety chain for securing cylinders.

Meets OSHA and NFPA requirements.

Painted safety yellow.

Shipped KD.

Note: Capacity based on 9" dia. cylinders.

Part No	Capacity	Doors	Dimensions	Weight
116514	9 cylinders	1	30"L x 41"W x 72"H	285 lbs
116524	18 cylinders	2	60"L x 41"W x 72"H	463 lbs

jesco® CYLINDER PALLET

Securely holds 4, 6 or 8 vertical 9" dia. cylinders safely in place for easy storage or transporting by forklift.

Hinged dividers provide convenient access.

All welded steel construction. Fork tubes are 5" wide.

Units are fully assembled and ready to use.

Painted Jesco standard blue.

Note: Always follow all safety rules of your company, OSHA and the manufacturer of the forklift.



Part No	Capacity	Dimensions	Weight
116615	4 cylinders	23"L x 34"W x 40"H	120 lbs
116625	6 cylinders	33"L x 34"W x 40"H	154 lbs
116635	8 cylinders	43"L x 34"W x 40"H	186 lbs

JESCOBARRIER®

Wire mesh guarding systems provide an excellent method of defining work areas, aisle ways, or departments. With the proper layout you are able to restrict unnecessary traffic and direct the flow of materials in a plant or warehouse.

These systems are quickly installed with standard hand tools. Layout changes may be accomplished with little or no waste. The Panel System allows barrier to be relocated and used again as the need grows.

8" sweep space. All hardware and anchors included. Panels are painted dark gray. Posts are powder coated yellow.



Part No	Dimensions	Weight
Panels		
390001	10'W x 5'H	75 lbs
390011	9'W x 5'H	70 lbs
390021	8'W x 5'H	65 lbs
390031	7'W x 5'H	55 lbs
390041	6'W x 5'H	50 lbs
390051	5'W x 5'H	40 lbs
390061	4'W x 5'H	35 lbs
390071	3'W x 5'H	25 lbs
390081	2'W x 5'H	20 lbs
390091	1'W x 5'H	18 lbs
Line Post		
392911	2"W x 5'8"H	14 lbs
Corner Post		
392961	2"W x 5'8"H	14 lbs
Door (w/posts)		
393111	4'W x 5'H	73 lbs

JESCO® PARTITION SYSTEMS

Extra heavy duty all welded steel construction using 2" x 1" x 10 gauge woven rectangular mesh. Steel angle frame is 1 1/4" x 1 1/4" x 1/8". Doors equipped with padlock lugs as standard, cylinder lock optional. For complete assembly, hardware and floor anchors are included.

Ideal where security is required. Provide a sketch and we will do the rest.

Standard 3 inch sweep height.

This wire partition comes pre-engineered for easy installation. No special tools required. When relocation is required, disassembly and assembly is made easy.

This system allows for full visibility without air, light or heat restriction.

Standard color is dark gray (PM9017).



Panels		
Part No	Dimensions	Weight
390001	10'W x 5'H	75 lbs
390011	9'W x 5'H	70 lbs
390021	8'W x 5'H	65 lbs
390031	7'W x 5'H	55 lbs
390041	6'W x 5'H	50 lbs
390051	5'W x 5'H	40 lbs
390061	4'W x 5'H	35 lbs
390101	10'W x 4'H	65 lbs
390111	9'W x 4'H	60 lbs
390121	8'W x 4'H	55 lbs
390131	7'W x 4'H	45 lbs
390141	6'W x 4'H	40 lbs
390151	5'W x 4'H	35 lbs
390161	4'W x 4'H	30 lbs




Technical Data
 Mesh: 2" x 1" rectangular woven wire mesh, 10 gauge
 Frame: 1 1/4" x 1 1/4" x 1/8" angle
 Posts: 2" x 2" square, 14 gauge
 Hardware: Zinc plated
 Sweep space: 3"

JESCO DOORS & COMPONENTS

10 Gauge woven wire - 2" X 1" mesh.

Standard paint color is Drak Gray (PM9017)

Single Slide Doors No Transom



Slide doors are mounted on the outside of enclosure and can be installed to close left or right.


Padlock lugs are standard. **Cylinder locks optional, order part # 301406.**

Track set comes complete with guides and stops.

We fabricate a wide assortment of heights and widths to fit your requirements.

Part No	Dimensions	Weight
391101	3'W x 8'H	80 lbs
391151	4'W x 8'H	99 lbs
391161	5'W x 8'H	113 lbs
391171	6'W x 8'H	135 lbs
391201	8'W x 8'H	172 lbs
391251	10'W x 8'H	201 lbs
391271	3'W x 10'H	97 lbs
391281	4'W x 10'H	121 lbs
391301	5'W x 10'H	138 lbs
391351	6'W x 10'H	164 lbs
391391	8'W x 10'H	204 lbs
391401	10'W x 10'H	247 lbs

Single Hinge Doors



Stock doors are hinged left swing out.


Standard door height is 7'.

Transoms are used with 8' or 10' doors.

Padlock lugs are standard. **Cylinder lock optional, order part # 301402.**

Part No	Dimensions	Weight
391611	3'W x 8'H (1' Transom)	80 lbs
391641	4'W x 8'H (1' Transom)	94 lbs
391631	3'W x 10'H (3' Transom)	90 lbs
391661	4'W x 10'H (3' Transom)	107 lbs


How to Layout our Enclosure



1. Make a hand sketch of the area showing L x W x H of the enclosure.
2. Locate doors?
3. Is ceiling required? (Add to overall height)
4. Cylinder locks? (Padlock lugs standard)
5. Paint finish? (standard is Dark Gray).

Service Window Panels

Slide up windows are **factory installed in panels**. Opening is 24" W x 20" H. Can be secured opened or closed. Shelf is shipped KD.



Part No	Dimensions	Weight
390602	4'W x 8'H	95 lbs
390603	4'W x 10'H	105 lbs

Accessories



Panel Connection



Tube Cap



Fill-A-Space



Adjustable Corner



Cylinder Lock



Padlock



3 Way



Corner Post



Line Post

Part No	Description	Weight
392101	Adjustable hinge corner kit	3 lbs
392061	8' Corner/3-4 way post	20 lbs
392081	10' Corner/3-4 way post	24 lbs
392011	8' Line post	20 lbs
392031	10' Line post	24 lbs
392292	8' Hinged door post	19 lbs
392294	10' Hinged door post	23 lbs
392161	8' Slide door post	20 lbs
392181	10' Slide door post	24 lbs

jesco® OVER CAR STORAGE LOCKER

Easily accessible, secured storage out of the way of the parked car. The unused areas at the head of the parking area can be turned into valuable storage lockers for the owner or tenant. The Over Car Storage Locker can be attached to either the garage wall or ceiling.

The 2" x 1" mesh bottom panel with the angle supports will easily support 400 lbs evenly distributed over the entire bottom of unit.



Each Over Car Storage Locker comes with padlockable side doors. Padlocks not included.

Painted dark gray.

- 2" x 1" rectangular mesh
- 10 gauge woven wire welded into an angle frame
- 1 1/4" x 1 1/4" x 1/8" angle frame and support braces
- 2" x 1" rectangular mesh side panels
- Interconnecting hardware included

Options: Ceiling panel, Backs, Galvanizing, Powder Coating.

Optional colors: Light Gray, OSHA Blue, Black and Vista Green.



Part No	Dimensions	Weight
384100	6'L x 3'W x 3'H	185 lbs
384110	8'L x 3'W x 3'H	240 lbs

jesco® WELDED STORAGE LOCKERS

- Employee lockers
- Small package storage
- Equipment storage



Welded 3 door heavy duty storage lockers. 1 1/4" x 1 1/4" x 1/8" angle frame work, 13 gauge shelves, 2" x 1" 10 gauge woven wire mesh sides.

Units are 75" high and have 21" clearance between shelves.

Each door is equipped with separate padlock lugs.

1500 lbs total capacity. 500 lbs per shelf, distributed evenly.

Painted dark gray.

Part No	Dimensions	Weight
383120	18"L x 18"W	121 lbs
383140	24"L x 24"W	170 lbs
383160	30"L x 30"W	216 lbs
383180	36"L x 36"W	274 lbs

JESCO® BULK STORAGE LOCKERS

Modular three sided units provide safe, secure storage for apartments, town house basement areas, office buildings, shops, factories, etc. Units are designed to expand with your needs. Easy to install.

Order one starter unit per run, then attach Add-On Units as needed.


2" x 1" x 10 gauge woven rectangular mesh permits maximum air movement. Units are padlockable with steel frames that attach easily to existing walls. Double tier unit comes with reinforced galvanized shelf. Hardware is included (**tops, roofs, backs and floor anchors are optional**).

Single or double tier units are 90" high. **For full height doors (no transoms), append FH to the part number.** Full height doors are reversible to hinge on either side. Choice of 3' or 4' widths. Painted dark gray.


Available in:

2" x 1"	8 gauge
1" x 1"	10 gauge
1½-16	Expanded metal
1½-13	Expanded metal


Consult factory for price.



Starter




Add-on



Single Tier

Dimensions	Starter Units		Add-on Units	
	Part No	Weight	Part No	Weight
3'W x 3'D	380305	147 lbs	380365	108 lbs
3'W x 4'D	380310	164 lbs	380370	116 lbs
3'W x 5'D	380315	181 lbs	380375	125 lbs
4'W x 3'D	380320	153 lbs	380380	114 lbs
4'W x 4'D	380325	170 lbs	380385	122 lbs
4'W x 5'D	380330	187 lbs	380390	131 lbs



Starter



Add-on

Full height lockers can be had by appending FH to the part number when ordering.



Double Tier

Dimensions	Starter Units		Add-on Units	
	Part No	Weight	Part No	Weight
3'W x 3'D	380335	170 lbs	380395	131 lbs
3'W x 4'D	380340	195 lbs	380400	147 lbs
3'W x 5'D	380345	220 lbs	380405	154 lbs
4'W x 3'D	380350	189 lbs	380410	150 lbs
4'W x 4'D	380355	208 lbs	380415	164 lbs
4'W x 5'D	380360	242 lbs	380420	187 lbs

jescopalLETGARD®

Keep objects from falling off loaded pallet racks by using palletgard panels.

Constructed from 1 1/4" angle frame and 2" x 1" x 10 gauge rectangular mesh.

Easy to install, just bolt clips to pallet rack upright and fasten to panel.

Standard panels are available in widths of 8', 9' or 10' and heights of 4' and 5'. The 3'6" wide panels are used to enclose ends of racks. Interconnecting hardware is included. Clips are not included. Order size and quantity below. 1 package containing 4 clips is required per panel.

Custom size clips and panels are available to fit most applications. Painted dark gray.



Part No	Dimensions	Weight
390167	3'H x 3'6"W	23 lbs
390166	4'H x 3'6"W	30 lbs
390165	5'H x 3'6"W	33 lbs
390121	4'H x 8'W	55 lbs
390021	5'H x 8'W	65 lbs
390111	4'H x 9'W	60 lbs
390011	5'H x 9'W	70 lbs
390101	4'H x 10'W	65 lbs
390001	5'H x 10'W	75 lbs




Clips are designed to fit most standard, drilled pallet racks spaced 2" on center.

Painted dark gray (PM9017).

4 clips in each package.

Part No	Dimensions	Weight
393200	1 1/4"L	2 lbs
393210	4"L	3 lbs
393220	6"L	4 lbs
393230	8"L	5 lbs



jescopalLETGARD® DOORS

Doors help to provide security of records, files, inventory etc. from unauthorized personnel. Fabricated with 1 1/4" angle frame and 2" x 1" 10 gauge woven wire mesh. Padlock lugs are standard. See above for side panels and clips. Painted dark gray (PM9017). Shipped KD.



Double slide door

Part No	Slide Doors Dimensions	Weight
385061	8'H x 8'W	195 lbs
385081	10'H x 8'W	245 lbs
385111	8'H x 10'W	225 lbs
385131	10'H x 10'W	295 lbs

Part No	Hinge Doors Dimensions	Weight
385261	8'H x 8'W	130 lbs
385281	10'H x 8'W	170 lbs
385311	8'H x 10'W	145 lbs
385331	10'H x 10'W	195 lbs



Double hinge door

This system has been designed and engineered to SAVE UP TO 75% on your setup time.

Woven wire mesh panels are securely welded into a strong angle frame with a dark gray paint finish. All posts are painted safety yellow. Each panel and post is packaged then crated for extra protection.

We also offer many options such as wainscoting, polycarbonate and acrylic panels, welding curtains and noise control panels.

If you do not see the sizes that meet your requirements, just give us a foot print of your work area and we will design the **JESCO EEZY STAK** system to meet your needs.



Note: Always follow OSHA, RIA and ANSI standards.



Technical Data

Mesh Opening:	2" x 1" mesh, 10 gauge wire
Angle Frame:	1 1/4" x 1 1/4" x 1/8"
Post:	2" x 2", 14 gauge, 5'8" length
Door:	48" x 60"
Hardware:	Zinc plated

Hardware Details



Panels		
Part No	Dimensions	Weight
333501	10'W x 5'H	78 lbs
333511	9'W x 5'H	71 lbs
333521	8'W x 5'H	65 lbs
333531	7'W x 5'H	59 lbs
333541	6'W x 5'H	53 lbs
333551	5'W x 5'H	46 lbs
333561	4'W x 5'H	35 lbs
333571	3'W x 5'H	27 lbs

Hinged Doors		
Part No	Dimensions	Weight
335201	3'W x 5'H	66 lbs
335205	4'W x 5'H	73 lbs
335207	5'W x 5'H	81 lbs

Posts		
Part No	Description	Weight
336253	Line post	15 lbs
336273	Corner post	15 lbs
336283	3-way post	16 lbs
336293	4-way post	16 lbs
336421	End post	15 lbs



WIRE PARTITION LOCK OPTIONS

STANDARD AND OPTIONAL LOCKS



Standard front with cylinder lock.



Standard back with knob.




Lever handle. Back view.



Brushed aluminum lever handle, with or without cylinder lock. Front view.



PANIC BAR



Full width panic bars enable easy exit even in emergency situations. Cylinder lock on front.



STANDARD PAINT COLOR

Dark Gray PM9017

OPTIONAL PAINT COLORS

Vista Green PM6138

OSHA Blue PM5180

Red Primer PM9936

Light Gray PM9640

Midnight Black PM9020

Note: Actual paint colors may vary from printed colors.

Mesh Types

Diamond
Rectangular
Square

Gauges

10
8
6


Finishes

Painted
Powder Coated
Galvanized

WOODEN CRATE PROTECTS YOUR PRODUCT

All your small wire partition orders are double protected to help eliminate freight damage. Each panel is protected in dunnage, then the panels are put into a strong wooden crate as shown. We feel this is a better way to protect your product.

Heat treated crates required for export are available at additional cost.



JESCO® INFILL PANELS

Jesco® Industries will custom fabricate these panels to meet your specific requirements. Available in diamond, rectangular and square mesh with or without standoffs. Standard frame is 1" x 1/2" channel with 10 gauge woven wire mesh.

Other size framing materials and mesh are available. Banding is required for panels with standoffs - specify weld pattern and types of weld finish desired. All types of finishes available.

Note: Always check and follow local building codes for your area.




Diamond mesh



Square mesh



Panel with hemmed edge





Diamond mesh with standoff




Square mesh with Standoff




Panel capped with channel




INFILL PANEL FRAME OPTIONS




1/2" x 1" x 1/8" channel frame.



1/2" x 1" x 1/8" channel frame with 5/8" x 1 1/4" x 1/8" channel cap.



1/2" x 1" x 1/8" channel frame with 1/8" x 1" flat bar cap.



1 1/2" x 16 gauge U-edging.

jesco® PARTITIONS

1 1/2" DIAMOND MESH



Wire mesh partitions are pre-engineered for easy installation allowing unrestricted visibility and total air circulation.

Low initial cost and maintenance.

Partitions are provided complete with galvanized top cap. Anchors optional.

Ceiling (non load bearing) adds to overall height.

Standard color is dark gray.



Part No	Panels	
	Dimensions	Weight
300101	1'W x 7'H	16 lbs
300102	2'W x 7'H	24 lbs
300103	3'W x 7'H	31 lbs
300104	4'W x 7'H	39 lbs
300105	5'W x 7'H	46 lbs
300107	1'W x 8'H	18 lbs
300108	2'W x 8'H	26 lbs
300109	3'W x 8'H	35 lbs
300110	4'W x 8'H	43 lbs
300111	5'W x 8'H	51 lbs
300119	1'W x 10'H	22 lbs
300120	2'W x 10'H	32 lbs
300121	3'W x 10'H	41 lbs
300122	4'W x 10'H	51 lbs
300123	5'W x 10'H	60 lbs

Technical Data

Mesh: 1 1/2" diamond woven wire mesh, 10 gauge
 Frame: 1 1/4" x 5/8" channel
 Corner angle: 1 1/4" x 1 1/4" x 1/8"
 Channel line post: 4" formed

Cap channel: Galvanized
 Hardware: Zinc plated
 Sweep space: 2 1/2"



Adjustable corner angle

Part No	Dimensions	Weight
301281	7'H	11 lbs
301282	8'H	13 lbs
301284	10'H	16 lbs



Corner angle

Part No	Dimensions	Weight
301271	7'H	7 lbs
301272	8'H	8 lbs
301274	10'H	10 lbs



Channel line posts

Part No	Dimensions	Weight
301251	7'H	14 lbs
301252	8'H	16 lbs
301254	10'H	19 lbs

Used as stiffener every 15 ft.



Fill-a-space panels

Part No	Dimensions	Weight
301301	7'H	19 lbs
301302	8'H	22 lbs
301304	10'H	27 lbs

Adjusts from 2" to 12". Used to fill odd sized spaces.



Wall clip. Required for each wall connection.




Adjustable wall clip. Allows up to 1" of adjustment



Three-way clips. Required when 3 panels meet.

Clips

Part No	Description	Weight
301361	Wall clips (3 pcs.)	.40 lbs
301362	Adjustable wall clips (3 pcs.)	.65 lbs
301363	Three-way clips	.82 lbs



Vertical C-channel frame between panels.

Horizontal stiffener channels



Galvanized top cap. Pre-punched to span more than one panel.

Floor Shoes



JESCO® SLIDING DOORS


Single sliding doors fit most needs. Doors are 7' high with transom or full height. These doors are complete and ready to install. Doors are mounted outside. Closes to the right or left. Allow 1' from corner.

Padlock lugs are standard. Cylinder lock optional on all doors, order part no. 301406.

Track adds 6" to height on full height doors.

Shipped KD.

Full Height Sliding Doors		
Part No	Dimensions	Weight
300551	3'W x 7'H	111 lbs
300563	5'W x 7'H	143 lbs
300569	6'W x 7'H	197 lbs
300575	8'W x 7'H	230 lbs
300581	10'W x 7'H	262 lbs
300552	3'W x 8'H	117 lbs
300564	5'W x 8'H	154 lbs
300570	6'W x 8'H	210 lbs
300576	8'W x 8'H	245 lbs
300582	10'W x 8'H	278 lbs
300554	3'W x 10'H	130 lbs
300566	5'W x 10'H	167 lbs
300572	6'W x 10'H	238 lbs
300578	8'W x 10'H	275 lbs
300584	10'W x 10'H	305 lbs



Sliding Doors		
Part No	Dimensions	Weight
300452	3'W x 8'H (1' Transom)	94 lbs
300458	4'W x 8'H (1' Transom)	108 lbs
300464	5'W x 8'H (1' Transom)	123 lbs
300470	6'W x 8'H (1' Transom)	179 lbs
300454	3'W x 10'H (3' Transom)	106 lbs
300460	4'W x 10'H (3' Transom)	118 lbs
300466	5'W x 10'H (3' Transom)	135 lbs
300472	6'W x 10'H (3' Transom)	202 lbs


JESCO® HINGED DOORS

Hinged doors are 7' high without transom. Doors are complete and ready to install.

Standard doors are hinged left - swing out, but can be reversed to hinged right - swing in.

Padlock lugs are standard. Cylinder lock optional on all doors, order part no. 301402.

Shipped KD.



JESCO® DUTCH DOORS


Doors are all 7' high, hinged left swing out only.

Comes complete and ready to install.

Service shelf is 8" deep. Padlock lug standard.

Shipped KD.

Part No	Dimensions	Weight
300871	3'W x 7'H (No transom)	76 lbs
300872	3'W x 8'H (1' Transom)	82 lbs
300874	3'W x 10'H (3' Transom)	87 lbs



Part No	Dimensions	Weight
300721	3'W x 7'H (No transom)	61 lbs
300727	4'W x 7'H (No transom)	68 lbs
300722	3'W x 8'H (1' Transom)	67 lbs
300728	4'W x 8'H (1' Transom)	75 lbs
300724	3'W x 10'H (3' Transom)	72 lbs
300730	4'W x 10'H (3' Transom)	79 lbs

JESCO® SERVICE WINDOW

Service window can be secured open or closed. Opening 24"W x 20"H, with an 8" deep shelf.


Panel is extra. Ship wt. 35 lbs. Factory Installed.

Part No	Dimensions	Weight
300376	24"W x 20"H	35 lbs



How to layout your enclosure

1. Make a sketch of the area showing L x W x H of the enclosure.
2. Locate doors
3. Is ceiling required?
4. Cylinder locks or padlock lugs (standard)?
5. Paint finish. Standard is Dark Gray.



JESCO® DROP SHELF

Drop shelf can be secured open or closed. Opening is 24"W x 15"H. Panel is extra. Factory Installed.

Part No	Dimensions	Weight
300377	24"W x 15"H	34 lbs



JESCO ENCLOSURE™



We offer a complete line of standard wire mesh enclosures in 1 1/2" 10 gauge diamond wire mesh.

These units are available in a variety of sizes to meet your needs and are easy to assemble.

Modular design allows you to expand or relocate as necessary.

Assembles with a minimal amount of tools.

Cages are equipped with slide door and transoms.

Padlock lugs are standard. Sweep space is 2 1/2".

Cylinder lock, floor anchors and wall anchors are optional extras.

Painted dark gray. Shipped KD.

Technical Data

Mesh: 1 1/2" diamond woven wire mesh, 10 gauge

Frame: 1 1/4" x 5/8" channel

Corner angle: 1 1/4" x 1 1/4" x 1/8"

Channel line post: 4" formed

Cap channel: Galvanized

Hardware: Zinc plated

Sweep space: 2 1/2"



Enclosures without ceiling

Dimensions	2 Sided Enclosure		3 Sided Enclosure		4 Sided Enclosure	
	Part No	Weight	Part No	Weight	Part No	Weight
10'L x 10'W x 8'H	375955	285 lbs	376105	395 lbs	376255	512 lbs
10'L x 10'W x 10'H	375960	326 lbs	376110	456 lbs	376260	595 lbs
10'L x 20'W x 8'H	375975	387 lbs	376125	497 lbs	376275	716 lbs
10'L x 20'W x 10'H	375980	446 lbs	376130	576 lbs	376280	835 lbs
15'L x 20'W x 8'H	375985	443 lbs	376135	605 lbs	376285	824 lbs
15'L x 20'W x 10'H	375990	512 lbs	376140	702 lbs	376290	955 lbs
10'L x 20'W x 8'H	375995	497 lbs	376145	701 lbs	376295	920 lbs
10'L x 20'W x 10'H	376000	566 lbs	376150	816 lbs	376300	1075 lbs
10'L x 30'W x 8'H	376035	597 lbs	376185	809 lbs	376340	1130 lbs
10'L x 30'W x 10'H	376040	692 lbs	376190	942 lbs	376345	1321 lbs

Enclosures with ceiling

Dimensions	2 Sided Enclosure		3 Sided Enclosure		4 Sided Enclosure	
	Part No	Weight	Part No	Weight	Part No	Weight
10'L x 10'W x 8'H	375505	427 lbs	375655	546 lbs	375805	670 lbs
10'L x 10'W x 10'H	375510	469 lbs	375660	594 lbs	375810	753 lbs
10'L x 20'W x 8'H	375525	655 lbs	375675	770 lbs	375825	1006 lbs
10'L x 20'W x 10'H	375530	711 lbs	375680	849 lbs	375830	1125 lbs
15'L x 20'W x 8'H	375535	883 lbs	375685	1052 lbs	375835	1288 lbs
15'L x 20'W x 10'H	375540	942 lbs	375690	1149 lbs	375840	1425 lbs
10'L x 20'W x 8'H	375545	1072 lbs	375695	1295 lbs	375845	1539 lbs
10'L x 20'W x 10'H	375550	1143 lbs	375700	1410 lbs	375850	1686 lbs
10'L x 30'W x 8'H	375585	1480 lbs	375735	1710 lbs	375885	2064 lbs
10'L x 30'W x 10'H	375590	1575 lbs	375740	1831 lbs	375890	2247 lbs

jesco® WINDOW GUARDS

Help protect your establishment by using these crimped steel mesh guards around your windows.

Window guards help prevent breaking, vandalism, burglary and allows light through without restriction.

Choose from either rod frame or channel frame styles. Can be installed either stationary or with the ability to open.


Standard color is dark gray (PM9017). Optional galvanized or special paint colors.

Minimum fabrication of 15 sq. ft. per window guard.


Note: Always follow all safety codes.

Mesh Types

- A 1" Square, 10 gauge
- B 1" x 2" Rectangular, 10 gauge
- C 1 1/2" Diamond, 10 or 8 gauge
- D 1 1/2" Square, 10 or 8 gauge
- E 2" Square, 8 or 6 gauge
- F 2" Diamond, 8 or 6 gauge



Square Mesh




Rectangular Mesh



Diamond Mesh

Rod Frames



Frame is made with 1/2" dia. rod. The mesh is secured around the rod.

Channel Frames



Uses 1" x 1/2" steel channel frame with 10 gauge wire. Is recessed and fastened within casing of window for a flush mount.

Installation Options

Fixed Clip

304121



Rod Face Mount

Fixed Clip

304121



Rod Inset

Hinge Kit

304221



Rod Hinged


Padlock Hasp Kit

304321



Fixed Clip


304131



Channel Face Mounted

Fixed Clip

304131



Channel Inset

Hinge Kit

304231



Channel Hinged

Padlock Hasp Kit

304331

