STAGE EAP SLYCATIONS/S



stanley, VICIMAT.

RE-CONFIGURED (




Get Organized Drawer storage gives every item its own specific, instantly located place. With everything organized, taking inventory is easy. You can cut retrieval time and eliminate obsolete inventory. And you'll keep everything secure and protected from dust and dirt. Stanley® Vidmar® cabinets arrive with their drawer interiors already installed.

We Can Grow With You

As your inventory and storage requirements change, Stanley® Vidmar® storage systems can change with you. We can help increase your storage capacity while helping improve efficiency. Contact your local Vidmar® Sales Engineer for an on-site evaluation.



The flexible solution that grows as your storage needs expand









The Problem

Capacity

Low-density, open-shelf storage uses too much space, leaving no room for growth. You're storing air.

Lost Inventory

Your computer says the part is in stock, but it is impossible to locate.

Slow Retrieval

Poor organization and lack of inventory controls force service personnel and customers to wait and wait for parts.

Dirty Parts

Dirty parts irritate customers and make it impossible to take advantage of the manufacturer's partsreturn program.

The Cause

Inefficient Storage Equipment

Open-shelf storage can waste as much as 50% of your storage space.

During search and retrieval, many items are pushed out of designated storage locations.

Wasted Effort

Traditional storage equipment forces personnel to stretch, stoop, search, and strain to reach hard-to-access locations.

Open To Exposure

With open shelving, dust and dirt settle on stored parts, packaging is torn, and parts are damaged.

The Solution

High-Density Storage

Convert small-parts storage to high-density storage in drawers to utilize every square inch of available space.

Individual Location

Drawers provide an individual storage compartment for each part number in your inventory.

Easy Access

Stanley® Vidmar® storage cabinets put all stored parts within easy reach and full view.

Protection

Enclosed storage equipment protects inventory from dust, dirt, damage, and loss.

The Benefit

Capacity

Helps increase your storage capacity without expanding your parts department.

Each Part Has An Address

Because each part number has a specific compartment, it is always where it should be.

End Wasted Time

Fast, effortless retrieval means less waiting for customers and service personnel

Happier Customers

Clean parts satisfy customers and make it easy to take advantage of the manufacturer's parts-return program.

Vidmar.

The Most Popular Storage Cabinet Configurations

Four cabinet heights, 15 drawer heights, and 30 of the most popular drawer interiors combine to create some of the most popular and versatile storage drawer cabinet

configurations in use today. Stanley® Vidmar® cabinets, can help you increase storage capacity. Designed with the modularity and flexibility needed in changing business environments, Vidmar® storage

drawer cabinets allow for storage growth and expansion needs. Vidmar cabinets can be stacked six high or in multi-level mezzanine configurations, saving valuable floor space by making use of wasted vertical air space. Or use Stanley® Vidmar® cabinets as the building blocks for workstations and benching configurations with a selection of accessories such as risers, bench legs, work surfaces and lights. Consult with your local Vidmar® Sales Engineer.



Model 340 Eye Level Height

59 in. (1499 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep



Model 245 Counter Height

44 in. (1118 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep



Model 200 Stand-Up Height

37 in. (940 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep




Model 175
Bench and Workstation Height

33 in. (838 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep

Standard Drawer Features

Drawer sizes are designed around average human reach (25-1/8 in. square [638 mm]) for easy access. Drawer heights range from 2-1/4 to 13-1/4 in. (57 to 337 mm) usable height, holding up to 400 lbs (181 kg). The drawers glide easily on a ball-bearing carriage system which is guaranteed against failure. Stanley® Vidmar® drawers are interchangeable with other drawers in cabinet housings of the same style. Each drawer has slotted walls for partitions and dividers, providing infinite configurations. For quick, easy-to-read identification of contents, each drawer pull has a large label and plastic shield. A variety of label holders are available to identify individual compartments within the drawer.



Accessories

All cabinets can be fitted with a single key lock system and individual drawer locks can also be supplied.

Other cabinet and drawer accessories are available such as overheads and drawer dividers. Consult with your local Vidmar* Sales Engineer.

MODEL#	USABL In.	E HEIGHT (MM)
20	2-1/4 in.	(57 mm)
25	3 in.	(76 mm)
30	3-7/8 in.	(98 mm)
35	4-5/8 in.	(117 mm)
40	5-3/8 in.	(137 mm)
45	6-1/4 in.	(159 mm)
50	7 in.	(178 mm)
55	7-3/4 in.	(197 mm)
60	8-1/2 in.	(216 mm)
65	9-3/8 in.	(240 mm)
70	10-1/8 in.	(257 mm)
75	10-7/8 in.	(276 mm)
80	11-3/4 in.	(292 mm)
85	12-1/2 in.	(318 mm)
90	13-1/4 in.	(337 mm)

Paint Finish

All Stanley® Vidmar® cabinets, drawers, accessories and STAK System® Storage are painted with an epoxy polyesterbased powder coating.

This durable coating provides:

- An improved durability to surfaces (salt spray and scratch tests.)
 - Improved consistency in color.


This environmentally-friendly paint is available in ten standard colors at no additional charge. (Non-standard and custom colors are available with additional charges added on a per-order basis.)

Black	S20106
Vidmor Croy	C22221
Vidmar Gray	523321
Dark Blue	S22578
Light Blue	S22577
Vidmar Green	S20606
Off White	S22570
Off White Bright Blue	S22570 S22447
	S22447
Bright Blue	S22447 S50091
Bright Blue	S22447
Bright Blue Hunter Green	S22447 S50091
Bright Blue Hunter Green	S22447 S50091



Model 340 **Eye Level Height**

59 in. (1499 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep




88

88


810

810

816




SEP3014AL 15 Drawers 336 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm)



SEP3026AL

14 Drawers 300 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in.(98 mm)




RP3092AL

11 Drawers 200 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm)




RP3098AL

11 Drawers 204 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm)




RP3404AL 11 Drawers

275 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm)




SEP3039AL 13 Drawers

256 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 7 in. (178 mm)




SEP3306AL 11 Drawers 192 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm)




SEP3062AL 11 Drawers


192 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 4-5/8 in (117 mm)




SEP3047AL 12 Drawers 224 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm)



SEP3054AL 12 Drawers 244 Compartments Usable Drawer Heights 3 in. (76 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm)



RP3406AL 10 Drawers 163 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 2-1/4 in. (57 mm) 7 in. (178 mm) 5-3/8 in. (137 mm)



SEP3110AL 10 Drawers

164 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 5-3/8 in. (137 mm)



68

88

88


108

108


168

108


168



SEP3126AL 10 Drawers 10 Drawers 164 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm)




SEP3189AL 7 Drawers 80 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 7 in. (178 mm)




SEP3219AL 4 Drawers

4 Drawers 29 Compartments Usable Drawer Heights 11-3/4 in. (292 mm) 13-1/4 in. (337 mm)



SEP3163AL

8 Drawers 8 Drawers 104 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 7 in. (178 mm)




SEP3203AL

6 Drawers 64 Compartments Usable Drawer Heights 6-1/4 in. (159 mm) 7 in. (178 mm) 8-1/2 in. (216 mm) 11-3/4 in. (292 mm)



SEP3352AL

9 Drawers 9 Drawers 128 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm)



58

68

88

108

68

88


88

108

168

SEP3140AL

9 Drawers 144 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 4-5/8 in. (137 mm) 5-3/8 in. (137 mm) 6-1/4 in. (159 mm)



SEP3155AL

9 Drawers 144 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 7 in. (178 mm) 11-3/4 in. (292 mm)



SCU3399AL

5 Drawers 5 Drawers 52 Compartments Usable Drawer Heights 5-3/8 in. (137 mm) 8-1/2 in. (216 mm) 10-1/8 in. (257 mm) 11-3/4 in. (292 mm) 13-1/4 in. (337 mm)



SEP3144AL

9 Drawers 9 Drawers 140 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm)



SEP3214AL

5 Drawers 37 Compartments Usable Drawer Heights
7 in. (178 mm)
8-1/2 in. (216 mm)
10-1/8 in. (257 mm)
13-1/4 in. (337 mm)



SD340L2AAL (Left Hinge — Shown) SD340R2AAL

(Right Hinge) 2 Shelves and Bottom Pan, No Door S340



Model 245 Counter Height

44 in. (1118 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep





SEP2004AL 11 Drawers 248 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in.(98 mm)



SEP2012AL 10 Drawers 200 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in.(98 mm)




SEP2025AL 9 Drawers 184 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in. (98 mm) 4-5/8 in (117 mm) 7 in. (178 mm)



RP2102AL
7 Drawers
114 Compartments
Usable Drawer Heights
2-1/4 in. (57 mm)
3 in. (76 mm)
3-7/8 in. (98 mm)
5-3/8 in. (137 mm)
7 in. (178 mm)



RP2112AL 6 Drawers 98 Compartments Usable Drawer Heights 3-7/8 in.(198 mm) 4-5/8 in. (117 mm) 5-3/8 in. (137 mm) 10-1/8 in. (257 mm)




SEP2029AL 8 Drawers 144 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 4-5/8 in (117 mm)



SEP2037AL 8 Drawers 144 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in. (98 mm) 8-1/2 in. (216 mm)



RP2113AL 6 Drawers 78 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 4-5/8 in (117 mm) 5-3/8 in. (137 mm) 7 in. (178 mm)



SEP2066AL 6 Drawers 84 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 4-5/8 in (117 mm) 5-3/8 in. (137 mm) 7 in. (178 mm)



SEP2041AL 7 Drawers 120 Compartments Usable Drawer Height 4-5/8 in (117 mm)



SEP2058AL
7 Drawers
120 Compartments
Usable Drawer Heights
2-1/4 in. (57 mm)
3 in. (76 mm)
4-5/8 in (117 mm)
5-3/8 in. (137 mm)
10-1/8 in. (257 mm)



SCU2079AL 3 Drawers 27 Compartments Usable Drawer Heights 10-7/8 in. (276 mm) 11-3/4 in. (337 mm) 13-1/4 in. (337 mm)



Model 200 Stand-Up Height

37 in. (940 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep





SCU1904AL

8 Drawers 176 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm)




SEP1905AL

7 Drawers 140 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm)



SCU1905AL

7 Drawers 144 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm)




SCU1910AL

6 Drawers 144 Compartments Usable Drawer Heights 3-7/8 in.(98 mm) 5-3/8 in. (137 mm)



SCU1915AL 5 Drawers

80 Compartments Usable Drawer Height 5-3/8 in. (137 mm)



SCU1917AL 5 Drawers

3 Drawers 84 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 7 in. (178 mm) 8-1/2 in. (216 mm)



SCU1918AL 5 Drawers 88 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3-7/8 in.(98 mm) 5-3/8 in. (137 mm) 11-3/4 in. (292 mm)



SCU1920AL 4 Drawers

48 Compartments Usable Drawer Height 7 in. (178 mm)



SCU1927AL

2 Drawers 48 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm)





Model 175 Bench and Workstation Height


33 in. (838 mm) high 30 in. (762 mm) wide 27-3/4 in. (705 mm) deep



SEP1001AL 7 Drawers 152 Compartments Usable Drawer Height 3 in. (76 mm)



SEP1004AL 6 Drawers 108 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in. (98 mm) 7 in. (178 mm)



SEP1016AL 5 Drawers 92 Compartments Usable Drawer Heights 3 in. (76 mm) 3-7/8 in. (98 mm) 6-1/4 in. (159 mm) 7 in. (178 mm)



SEP1023AL 5 Drawers 92 Compartments Usable Drawer Heights 2-1/4 in. (57 mm) 3 in. (76 mm) 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 8-1/2 in. (216 mm)



SCU1010AL 5 Drawers 100 Compartments Usable Drawer Height 4-5/8 in (117 mm)



SCU1012AL 5 Drawers 92 Compartments Usable Drawer Heights 3-7/8 in. (98 mm) 5-3/8 in. (137 mm) 6-1/4 in. (159 mm)



SEP1045AL 2 Drawers 16 Compartments Usable Drawer Heights 12-1/2 in. (318 mm) 13-1/4 in. (337 mm)



SD175LH1 Left hinge SD175RH1 Right hinge 2 Shelves



PRE-CONFIGURED CABINETS


Drawer Interiors

Standard Loading Diagrams

These 28 proven drawer interiors are featured in the standard pre-configured cabinets shown on the previous pages. Factory installation of partitions and dividers is included for all loading diagrams shown in this catalog. If your application requires drawer arrangements other than these call 800-523-9462.

Keep Everything Organized and in Reach

The ability to see a drawer's entire contents in one glance, along with clear labeling and good organization, permits rapid inventory checks and eliminates the possibility of running out of stock without realizing it.





LD46 40 Compartments 2-5/8 in. x 4-5/8 in. (67 mm x 117 mm)



LD48 32 Compartments 25/8 in. x 6-1/8 in. (67 mm x 156 mm)



LD56 30 Compartments 3-1/2 in. x 4-5/8 in. (89 mm x 117 mm)



LD58 24 Compartments 3-1/2 in. x 6-1/8 in. (89 mm x 156 mm)





BN-48 48 Bins (32) 3 in. x 3 in. (76 mm x 76 mm) (16) 3 in. x 6-1/8 in. (76 mm x 156 mm)



LD168 8 Compartments 12-1/4 in. x 6-1/8 in. (311 mm x 156 mm)



LD86 20 Compartments 5-7/8 in. x 4-5/8 in. (149 mm x 117 mm)



LD8816 Compartments
5-7/8 in. x 6-1/8 in.
(149 mm x 156 mm)



LD81012 Compartments
5-7/8 in. x 7-7/8 in.
(149 mm x 200 mm)



LD816 8 Compartments 5-7/8 in. x 12-1/2 in. (149 mm x 318 mm)



LD84 32 Compartments 5-7/8 in. x 2-7/8 in. (149 mm x 73 mm)



LD8524 Compartments
5-7/8 in. x 3-7/8 in.
(149 mm x 98 mm)



LD1610 6 Compartments 12-1/4 in. x 7-7/8 in. (311 mm x 200 mm)



LD108 12 Compartments 7-1/2 in. x 6-1/8 in. (191 mm x 156 mm)



LD1010 9 Compartments 7-1/2 in. x 7-7/8 in. (191 mm x 200 mm)



PS70 2 Hanging File Compartments 12-1/4 in. x 25-1/8 in. (311 mm x 638 mm)

Call for a free, no-obligation survey and storage analysis from a Stanley Vidmar Storage Professional.

They can recommend a storage system specifically designed to suit your inventory, facility and personnel.

PH: 1-800-523-9462 FAX: 1-800-523-9934



11 Grammes Rd., PO Box 1151, Allentown, PA 18105-1151

www.stanleyvidmar.com

www.stanleyworks.com