ATEC TRANS-TOOL OFFERS A COMPLETE LINE OF QUALITY TOOLS AND EQUIPMENT FOR ANY TYPE OF AUTOMOTIVE SERVICE CENTER

Reproduction of this material in whole or in part is strictly prohibited without prior written consent by ATEC Trans-Tool, LP, including all part numbers, drawings, pictures, logos, or descriptions. Reproduction of any or any part of these items is civilly and/or criminally punishable by law.

Specifications and descriptions on products in this catalog may change without notice.

Copyright ©2007 ATEC Trans-Tool All intellectual property and copyrights reserved.

AUTOMOTIVE TOOLS & EQUIPMENT

UNDERCAR SERVICE GENERAL SERVICE SHOP

a.	Support & Holding Fixtures	.17
b.	Fluid Evacuator, Injector And	
	Bleeding Systems	.18-19
c.	Shop Equipment	.20
d.	General & Specialty Tools	.21-27

e. MotorVac Products.....28

FEATURED PRODUCTS

T-0012-TP

TransPorterFluid Evacuator-InJector



See Page 18

T-MV-MTT1100P

TransTech IIIFluid Evacuator-InJector From MotorVac



See Page 28

T-1010-B

RUBBER TIPPED BLOW GUN



T-1010-BVT VENTURI TIP

See Page 25

Contact Your Local Distributor or Tool Truck Dealer



UNDERCAR, GENERAL SERVICE AND SHOP

Support and Holding Fixtures

JOGGLE JACK ases various instal

T-0178

Eases various installations. Lever operated for support only. A must for installing transmissions, gas tanks, shocks, mufflers, and engines. Pedal folds away for storage. Can be used with single or twin post lifts.

SPECIFICATIONS

Height (Screw Down) ..62" Height (Screw Up)......82"


Foot Operated To	ravel2"
Support Plate	3/8" x 2" x 8"
Weight	34lbs

8

FENDER TO FENDER MAIN SUPPORT UNIT FOR ENGINE

(includes 2 hanger assemblies w/ chains)

Engine support for all foreign and domestic vehicles - 4 cy, V-6, V-8, minivans (some minivans may require T-PT-175 adapter)





T-0180

HIGH AXLE HANDLE

Designed with additional positive supports for extra safety. Complete with bolt tray.

5	<u> 5</u>	<u>'E</u>	<u>C</u>	<u>F</u>	<u>IC</u>	<u>;/</u>	<u>\T</u>	1	<u> </u>	N	<u> </u>	<u>3</u>	:	
					_				_					

Height (Screw Down) ..66" Height (Screw Up)75" Estimated Capacity2900 lbs Support Plate3/8"x2"x8" Weight41 lbs



T-1256-A

ENGINE HANGER

Supports and holds the engine in position when the transmission, transaxle or engine mounts are discon-


nected. Assures that the engine remains in position for remounting after service. Engine may be slightly raised or lowered by turning the foot adjusting screws. Adapts to the mid engine Fiero. Fits 440-TA/ATX and other popular F.W.D. applications.



T-PT-106

UNIVERSAL ENGINE BRACKET SET

This set offers 3 different brackets that can be bolted directly to the engine, which provides places to support the engine.




T-PT-175

ENGINE ADAPTER BAR

For Ford Windstar and Mercury Villager with 3.8 split port fuel injection engines with large black plastic intake plenum ('95 - up only)

Reproduction of this material in whole or in part is strictly prohibited without prior written consent by ATEC Trans-Tool, LP, including all part numbers, drawings, pictures, logos, or descriptions. Reproduction of any or any part of these items is civilly and/or criminally punishable by law.



T-PT-5-A

2" HANGER


Drops onto bar assembly Locks in place



T-PT-500

HOOD SUPPORT

Used commonly in shops that push dismantled vehicles outside their building. Prevents hood from being damaged. Also works well in shops with low clearance ceilings. Drops onto bar assembly. [Refer to drawing of T-PT-200-D)



T-PT-900

NORTHSTAR ARM

Used on V-8 Cadillac applications. This item also requires the use of the T-PT-950



Main Beam Adapter Kit

Set Includes

- (1) Stock Tower Adapter
- (1) Large 8" Pad Support
- (1) Main Beam Adapter APV

T-PT-950

APV LUMINA. VAN ADAPTER SET

Main beam adapter kit allows for attachment of North Star Arm T-PT-900

Pontiac Transport Van, APV Lumina Van, Olds Silhouette.

- (1) J-Bolt 7.5"
- (1) J-Bolt 6"
- (1) 3/8" Quick Release Pin

Contact Your Local Distributor or Mobile Tool Truck Dealer



UNDERCAR, GENERAL SERVICE AND SHOP

Fluid Injectors, Evacuators, Bleeding



No Other Tool Does So Much, So Fast And With No Mess!

REDUCE LABOR COSTS - INCREASE PROFITS

In seconds, with this simple-to use tool, drain and fill any viscosity fluid, (even heavy gear grease). The TransPorter's patented design fits into hard to reach openings and eliminates messy drips and spills. Requires pressurized air and/or vacuum source. Patent #5738499

T-1010-BV

VENTURI BLOW GUN TIP

See Page 25

SOME APPLICABLE USES:

Heavyweight Gear Grease * Power Steering * Oil Treatment



Flushing Coolant Line



Overfill Transmission Fluid Removal



Drain-Refill Differential Without Removing Cover

Radiator-Antifreeze **Evacuation From** Underhood

T-0012-TPC

CANISTER BASE

W/ RELEASE VALVE

LID "O" RING SEAL

Call For a Detailed Brochure or Demonstration Video



HOSE - 3' and 4' Length



T-0012-TPHCA HYDRAULIC CLUTCH BLEEDING ADAPTER

SAVE BIG ON LABOR! Turn this labor-intensive job into a one man - 10 minute job!





UNDERCAR, GENERAL SERVICE AND SHOP

Fluid Injectors, Evacuators, Bleeding

T-9100-KIT

HYDRAULIC BRAKE BLEEDER KIT

BRAKE BLEEDER ONLY



- * Most efficient and economical way to bleed hydraulic brakes, including ABS systems
- Avoid the mess and limitations of pressure bleeders
- One man operation
- * 2 quart capacity * Air Operated
- Exclusive EZMT plug
 - Works on vehicles with recessed bleeder screws
- No cumbersome adapters to lose
- No master cylinder cups or seals to damage

T-9100 (Brake Bleeder) **Replacement Parts**

TANDUM MASTER CYLINDER ADAPTER

Г-9100- В

ROUND TOP MASTER CYLINDER ADAPTER

-9100- C

BLEEDER HOSE

-9100- D

REFILL BOTTLE

UNDERCAR, GENERAL SERVICE AND SHOP

Shop Equipment

LARGE SERVICE PAN

- Made of durable ribbed plastic for strength
- Big 24" x 34" size accommodates even large transmissions
- Holds up to 5 gallons and has pouring spout to help eliminate spills

FLUID DRAIN FUNNEL

I-0169



DRUM DOLLY -16 Gal. (Use with T-1090-HD)

Г-0184- А

DRUM DOLLY -30 Gal.

DRUM DOLLY -55 Gal.

LIFT DRAIN DRUM DOLLY

(Use with T-0197)

LIFT DRAIN

- * 5 gallon capacity
- * 12" diameter top

(Use With T-0169 and T-0184-C)

Reproduction of this material in whole or in part is strictly prohibited without prior written consent by ATEC Trans-Tool, LP, including all part numbers, drawings, pictures, logos,

or descriptions. Reproduction of any or any part of these items is civilly and/or criminally punishable by law.







Contact Your Local Distributor or Mobile Tool Truck Dealer



UNDERCAR, GENERAL SERVICE AND SHOP

Shop Equipment



OIL COOLER AND LINE FLUSHER


- * Completely self contained
- * Closed filtering system reuses cleaning fluid
- * Positive displacement pump
- * Carbon bearings for heavy-duty operation
- * All bronze pump body
- * Replaceable filter cartridge
- * Heavy-duty motor
- * Includes: hoses, filter and fittings
- * Ready for operation
- * A must for late model and lock up units

REPLACEMENT FILTER

(For T-1090-HD...above)

001730

COOLER LINE BANJO FITTINGS



* Use with large flusher or aerosol cans.

For Ford 4R20E, 4EAT Chrysler diesel truck, Mazda, Nissan, Infinity, B.M.W., Mercedes



T-MARK II

TRANSMISSION OIL COOLER FLUSHING SYSTEM

- * Pulsating scrubbing action of an atomized solvent and air mixture.
- * Shop air is the only power source needed to operate.
- * Complete flushing and single pass purging completed in less than 10 minutes.
- * One to five year warranty

FILTERING SYSTEM NOW INCLUDED!



T-RN-430-ATEC

ADJUSTABLE REBUILDER TABLE

With 360 degree rotation and special access. 5 position side to side movement with universal mounting. Capable of mounting most front and rear wheel drive transmissions.

JACK STAND AND VEHICLE DOLLY

T-UNI-DOLLY





TRANSMISSION COOL

FLUSHER

AUTO SHOP-AID

T-1091

PULSATING TRANSMISSION COOLER FLUSHER

Flushes cooler before installing rebuilt transmission.
Air operated.
Removable filter.
Includes adapters and hoses. No solvents.



UNDERCAR, GENERAL SERVICE AND SHOP

General & Specialty Tools

T-LI-PRO-MECH

18" STUD & MANIFOLD **NUT PLIERS**



- *Long reach with control not available elsewhere
- Tapered jaw surrounds stud, making contact at multiple points
- High torque, durable chrome vanadium steel



T-0025

REVERSIBLE SNAP **RING PLIERS**



T-0025- A

RING LOC SNAP **RING PLIERS**



T-0034

UNIVERSAL SEAL PULLER

- * Insert tip of the tool behind seal and leverage works for you.
- Eliminates hammering and digging.



I-0068

COMPUTER PROGRAM SAVER



- * Saves car computers, clocks, radios and other electrical components when car batteries have to be disconnected.
- Quick and easy hook-up.
- Will save any computer settings even if doors are opened by acident.
- Eliminates poor initial engine performance and lost digital settings after vehicle service.



EZ SQUEEZE BEARING PACKER

- * Flush out old grease with new
- 4 second operation
- No air hose needed
- Packs 50-65 bearings with 1 fill
- For all cars & light trucks
- Impact resistant
- Patented

T-0016- A





- * Stainless Steel
- * Heavy Duty

T-0016- B

MAGNETIC TRAY




- * 9" x 5" Rectangle
- * Stainless Steel
- * Heavy Duty

MAGNETIC TRAY



- 11" x 10" Quad
- Stainless Steel
- **Heavy Duty**





T-0069

UNIVERSAL SEAL DRIVER KIT



- * Axle Seals
- * Converter Seals
- * Pinion Seals
- * Metal Clad
- * Grease Seals
- * Everything you need to drive seals into a wide variety of makes and models, foreign and domestic.
- * Unique design holds garter spring in place while installing.





UNDERCAR, GENERAL SERVICE AND SHO

General & Specialty Tools



EXHAUST PIPE SHAPER-EXPANDER

- * Eliminate exhaust leaks by removing clamp grooves and bent pipe.
- * Works on or off car
- * No holding fixture needed
- * For all cars & light trucks foreign or domestic
- * Hex end allows use of wench

T-0070

SMALL SIZE Fits Pipe 1 3/8" to 1 15/16" I.D.

T-0071

MEDIUM SIZE Fits Pipe 1 13/16" to 2 1/2" I.D.

T-0072

LARGE SIZE Fits Pipe 2 7/16" to 3 3/16" I.D.



T_0087_ L

PARTS BRUSH

11" Hog Hair Bristle

T-0154- HD

SLIDE HAMMER SET HEAVY DUTY

* With 3/8" threaded shaft tip

ADAPTERS FOR SLIDE HAMMER T-0154- HD

T-0154- A3/8" to 5/16" adapter

I-0154- B

10 mm adapter

<u>T-0154- C</u>

12 mm adapter



T-0154- D

3/8" to 3/4" adapter

T-0154- E

3/8" to 1/2" adapter

T-0154- F

7/16" adapter

T-3233

SLIDE HAMMER ADAPTERS

For T-0154-HD Remove front pumps in domestic transaxles

Reproduction of this material in whole or in part is strictly prohibited without prior written consent by ATEC Trans-Tool, LP, including all part numbers, drawings, pictures, logos, or descriptions. Reproduction of any or any part of these items is civilly and/or criminally punishable by law.



T-0154- R

RHINO TRIO DEAD BLOW SLIDE HAMMER

- * Designed for pulling hubs when heavier weight is needed.
- * 16 lb. slide hammer with E-Z slide bushing
- * 3/4" diameter shaft * Extra HD construction
- * Comfort grip handle



T-0154- SW

RHINO SLIDE WEIGHT

* 16 lb weight only



T-0155

TORX BIT SOCKET KIT

(9 sizes)

Fits TORX size: T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50

* 6 smaller bits fit 1/4" drive



T-0163- A

VACUUM PUMP HEAVY DUTY



T-0163- C

PRESSURE GAUGE 0 - 100 lbs.

T-0163- D

PRESSURE GAUGE 0 - 300 lbs

T-1079

O-RING REMOVER




O-RING REMOVER WITH MAGNET END



T-1093

UNIVERSAL DRIVER HANDLE

For threaded bushing drivers





UNDERCAR, GENERAL SERVICE & SHOP

General & Specialty Tools

POSILOCK

The only puller you'll need!



2 JAW Series

T-PS-202 1 ton, .25"- 3.25" Spread T-PS-203 2 ton, .25"- 4.5" Spread T-PS-204 2 ton, .5"- 5" Spread T-PS-206 6 Ton, .5"- 7" Spread T-PS-208 12 Ton, .75"- 12" Spread T-PS-210 14 ton, 1"- 15" Spread T-PS-213 25 Ton, 2.5" - 18" Spread T-PS-216 35 Ton, 3"- 25" Spread



3 JAW Series

T-PS-102 1 ton, .25"- 3.25" Spread T-PS-103 2 ton, .25"- 4.5" Spread T-PS-104 5 ton, .5"- 5" Spread T-PS-106 10 Ton, .5"- 7" Spread T-PS-108 17 Ton, .75"- 12" Spread T-PS-110 20 ton, 1"- 15" Spread T-PS-113 30 Ton, 2.5" - 18" Spread T-PS-116 40 Ton, 3"- 25" Spread

TRANSMISSION BEARING PULLERS

T-PS-TJ-1 2 Jaw, 2.33" - 14.75" Spread, 9.25" Reach T-PS-TJ-2 3 Jaw, 5" - 7" Spread, 6" Reach

Eliminates specialty pullers used for: battery terminal, steering wheel, power steering, differential side bearing, break drum, timing gear and pitman arm.

T-PS-CH3

CRANKSHAFT DAMPER PULLER



Kit includes pullers and adaptors. Use without removing radiator. Compact to allow easy access in tight, hard to reach areas.



FAN HUB PULLER KIT

Includes T-PS-104 puller, 2 colors and tip adaptor. Simplifies the removal of many industrial and automotive fans and blower wheels by providing solid connection between puller and fan hub.



WEB CONNECTION:www.atec-trans-tool.com



Log on for:

Complete Product Listings Newly Added Products Product Information Featured Products


To provide the most up to date information, ATEC is consistently updating its web site. We appreciate your patience if you are unable to connect to our site during an upgrading process time. You may always call us Toll Free 1-800-531-5978

Reproduction of this material in whole or in part is strictly prohibited without prior written consent by ATEC Trans-Tool, LP, including all part numbers, drawings, pictures, logos,



UNDERCAR, GENERAL SERVICE AND SHOP

General & Specialty Tools



T-0215

UNIVERSAL HUB & BEARING TOOL KIT

Safely removes & installs hubs and FWD wheel bearings w/o removing knuckle from the car.

- Easy assembly w/ manual * Storage case included
- * Chrysler puller adapter included attaches easily to axle shafts.



T-0216

UNIVERSAL HUB PULLER

Use with T-0154-R to remove 95% of all FWD hubs.

- No parts to wear out
- Attaches to hub using lug nuts from same car.



UNIVERSAL SEAL **INSTALLER KIT**

(16 Pieces)

- Installs 90% of metal clad seals
- Order handle T-0217-16

PHOTO NOT AVAILABLE

T-0217-16

DRIVER HANDLE

Universal

Т-0220-Т

Long Dead Blow Extension Driver

(use with T-0220- RI)



INSTALLER KIT

Fits most domestic car and truck differential pinion seals, Holds garter spring in place during installation [Use with T-0217-16]



T-0220- DR06A

LONG DRIVER HANDLE




INSTALLER Patented Adjustable for all races

- 1 9/16" to 2 7/16" I.D.
- * Impact resistant head for positive dead blow drive
- Can use extension driver T-0220-TH

T-0220- 30

BUSHING DRIVER KIT

30 Piece



Reproduction of this material in whole or in part is strictly prohibited without prior written consent by ATEC Trans-Tool, LP, including all part numbers, drawings, pictures, logos, or descriptions. Reproduction of any or any part of these items is civilly and/or criminally punishable by law.

T-0220- 39


MASTER BUSHING DRIVER KIT

DRIVES OVER 200 DIFFERENT BUSHINGS

- foreign and domestic **39 PIECE KIT**
- the most complete kit in the industry

Comes complete with numbered application chart and board







All bushing drivers
available individually
For handles refer to:
T-0217-16 &
T-0220-DRO6A

FORD		CHRYSLER	GENERAL MO	TORS	
A4LD	AOD	A404 / 413 / 470	125 / 125C	180 / 180C	200 / 200-4R / 200C
ATX	C-3	727	250 / 250C	325 / 325-4L	350 / 350C
C-4/5	C-6	904 / 999	400	440-T4	700-R4
FMX	Jatco		Powerglide	Super Turbine 30	00





UNDERCAR, GENERAL SERVICE AND SHOP

General & Specialty Tools



T-1217

BOOT SEAL CLAMP INSTALLER





For all 3/16", 1/4", 5/16" and 3/8" O.D.Tubing (not recommended for 3/8" steel)

- Exclusive nylon form prevents kinking or flattening. Perfect for bending fuel, brake, or cooling lines.
- * Easy to use with one end of tubing connected or can be mounted in a vise
- * Bends up to 180 degrees



T-1550

CONVERTOR HOUSING TORQUE BIT



REPAIR PART FOR COOLING LINE

FITTING (2 pc set) (10 sets per order)

- * Set includes 1- "O" ring & 1- plastic insert
- * Fits Ford transmissions (Use with T-1890)



KWIK DISCONNECT TOOL

T-1893- P

Plastic - 3/8" (GM)

T-1893- M

Metal - 3/8" (GM)



T-1895

FUEL LINE QUICK DISCONNECT FOR FORDS

5/16" and 3/8"



T-1890

COOLER LINE QUICK DISCONNECT TOOL

Removes push lock connectors found at the radiator & transmission connections on '83 thru current Fords and '82 Continental overdrive.

[Repair Parts- T-1889]



T-1892

POWER STEERING LINE DISCONNECT TOOL

For '87 & up GM's E, K and V vehicles

* Allows plastic clip on the power steering line quick connector to be spread apart for easy removal of the line without damaging the connector seals.



T-1010- B

BLOW GUN 4" RUBBER TIPPED

- * Insulated grip with ergonomic design
- * Optional built-in pressure regulator
- * Variable flow control with comfortable lever.
- * 1/4" NPT inlet connection.



VENTURI TIP

Fits all standard blow guns

REPLACEMENT TIP FOR T-1010- B





T-1011

RECOILING AIR HOSE

1/4" x 25 foot



T-1072

SNAP RING REMOVER AND INSTALLER

15" long handle





UNDERCAR, GENERAL SERVICE AND SHOP

General & Specialty Tools

CLUTCH ALIGNMENT TOOL KIT (33 Piece) T-2500- A

(supercedes T-2500)



- * 33 piece kit covers over 80% of foreign and domestic passenger car and light truck applications.
- Made in the USA of high impact, oil resistant plastic
- Save time and ensures accurate alignment every time.
- Comes complete with board, pegs, and application chart.
- * Tools are available individually

T-1073

SURGE PROTECTOR & SPARK **SUPPRESSOR**

12 Volt

* Protects car computers from voltage spikes caused by welding, short circuits caused by mechanical tools, and sparks caused by disconnecting, checking or charging batteries.





SAVE THOUSANDS OF \$\$\$ in blown computers.

T-2501- A

TRUCK CLUTCH **ALIGNMENT** TOOL KIT (5 Piece Kit)

Light weight-



1.980" 10 splines

10 splines 1.180"

easy to use

1.75" 10 splines

10 splines

CLUTCH ALIGNMENT TOOL KITS

- * Saves time and ensures accurate alignment
- * Includes board, pegs and application chart * High impact, oil resistant plastic



26 PC ASIAN KIT

Aligns over 95% of today's cars, including Nissan, Toyota, Suzuki, Honda, Subaru, Mitsubishi, Mazda & Hyundai

25 PC EUROPEAN KIT

Aligns 95% of European cars, including BMW, VW, Audi, MG, Porsche, Volvo & Mercedes

27 PC DOMESTIC KIT

Aligns over 95% of Ford, GM & Chrysler vehicles.

HYDRAULIC CLUTCH LINE DISCONNECT **TOOL**

For use on GM HM 282/ 5 speed manual transmission, Ford light truck & M5-R2 Cougar 5 speed manual transmission.

CHISEL BUSHING **CUTTER-SEAL** REMOVER

Uses

curl cut method

Also use as tailpipe cutter

or descriptions. Reproduction of any or any part of these items is civilly and/or criminally punishable by law.



UNDERCAR, GENERAL SERVICE AND SHOP

General & Specialty Tools




T-2512- A

EZ SQUEEZE TIE ROD ADJUSTER (Patented)

- * Automatically self adjusts to fit 90% of all tie rod split sleeve in all cars, vans, light trucks foreign & domestic
- * Made of high stress steel & heat treated
- * Two versions

T-5000- K

UNIVERSAL SEAL DRIVER KIT (23 PIECE)



- * Foreign and domestic vehicles
- * Automatic and standard transmission applications as well as wheel bearing, axle and pinion seal applications.




EZ SEAL & PILOT BEARING PULLER (Patented)

T-2513

- * 3-segment design conforms to shape of seal for maximum surface contact
- * Removes seal without breaking it
- * Unique hammering handle
- * Use on any slide hammer with 1/2 - 1/3 threads
- * Easy roll in feature





HAMMER

www.atec-trans-tool.com

dent puller

* 1/2 - 13 thread





WEB CONNECTION:www.atec-trans-tool.com



or Mobile Tool Truck Dealer

Log on for:

Complete Product Listings Newly Added Products Product Information Featured Products

To provide the most up to date information, ATEC is consistently updating its web site. We appreciate your patience if you are unable to connect to our site during an upgrading process time.

You may always call us Toll Free 1-800-531-5978



UNDERCAR, GENERAL SERVICE AND SHOP

MotorVac Products



T-MV-MTT1100P

TRANSTECH III

The easiest ATF exchanger ever made

- * Replaces virtually 100% of the dirty fluid in under 10 minutes.
- * Convenient drain pan and fluid "fill" control features for easier filter exchange during ATF exchange.



T-MV-MOF6000

OILCLEAN COMPLETE OIL FLUSH SERVICE CENTER

- * Dynamic flushing process cleans entire lubrication system.
- No shop air or power required due to a unique on-board air compressor and 12 volt DC power supply.



T-MV-MCS245

MCS 245 PROFESSIONAL FUEL SYSTEM SERVICE AND DIAGNOSTIC CENTER

- * Advanced electronic interface and unique safety features allow system to run unattended
- * Cleans the entire fuel system, from the intake to the catalytic converter.



T-MV-LC210

LEAKCHEK PLUS
ACCURATE, FAST
AND RELIABLE
VISUAL LEAK
DETECTION SYSTEM

- Illuminating visible vapor trace pinpoints leaks at the source.
- Increased shop efficiency obtained by reducing diagnostic time.



T-MV-MV3

GASOLINE ENGINE CLEANER

Designed for use in MotorVac Carbon Clean equipment as well as any other fuel system service that requires a fuel cleaning mixture.



T-MV-MCF5000

COOLANTCLEAN PROFESSIONAL COOLANT FLUSH SERVICE

Complete coolant flush and exchange in less than 15 minutes.

- * "Closed Loop" mode to end of Service allows for unattended service.
- Professional system with optional adapters for heavy duty application.

T-MV-MV3D



DIESEL ENGINE CLEANER

Specially formulated to safely restore horsepower, lower emissions and improve mileage.

T-MV-MV4



INTAKE CLEANER

A proprietary detergent formulation for decoking intake plenums and cleaning throttle plates and idle bypass circuits.



