



**The Leading Manufacturer  
of Non-Marring,  
Non-Sparking Hammers,  
Proudly Made in the USA,  
Since 1956.**



**NEW!  
ABC Dead Blow Hammers**



**Pound for Pound, the World's Greatest Hammers**



## Brass STRIKING HAMMERS

Our brass hammer line is the most durable hammer we offer.

**Our Brass Hammers** are the most durable hammers we offer and should always be used in place of steel hammers in any metal working application. Our non-marring soft brass head helps absorb impact and helps reduce or eliminates work damage. They are non-sparking for safe use near combustible materials.

**Tennessee Hickory Handles** provide exceptional strength, ergonomics, balance and shock absorption. Our wood handles are specially tapered, fire finished, lacquered and have a non-slip safety grip.


Striking Hammers are also available in Bronze/Copper. Please see page 9.




**ABC1BW** - 1 lb / 0.45kg - 10" handle




**ABC2BW** - 2 lb / 0.90kg - 12.5" handle



**ABC3BW** - 3 lb / 1.35kg - 12.5" handle



**ABC4BW** - 4 lb / 1.80kg - 15" handle



**ABC5BW** - 5 lb / 2.25kg - 15" handle

## Brass STRIKING HAMMERS

Our brass hammer line is the most durable hammer we offer.



### Fiberglass Handles

provide exceptional breaking resistance to overstrikes, are long-lasting and are colored in high-visibility yellow. Our fiberglass handles have a non-slip safety grip.

Striking Hammers are also available in Bronze/Copper. Please see page 9.



**ABC3BF** - 3 lb / 1.35kg - 14" handle



**ABC4BF** - 4 lb / 1.80kg - 14" handle.



**ABC5BF** - 5 lb / 2.25kg - 14" handle





## Brass SLEDGE HAMMERS

Our brass hammer line is the most durable hammer we offer.

### Our Brass Hammers

are the most durable hammers we offer and should always be used in place of steel hammers in any metal working application. Our non-marring soft brass head helps absorb impact and helps reduce or eliminates work damage. They are non-sparking for safe use near combustible materials.

### Tennessee Hickory Handles

provide exceptional strength, ergonomics, balance and shock absorption. Our wood handles are specially tapered, fire finished, lacquered and have a non-slip safety grip.



**ABC8BW** - 8 lb / 3.60kg - 32" handle



**ABC10BW** - 10 lb / 4.50kg - 32" handle



**ABC12BW** - 12 lb / 5.40kg - 32" handle



**ABC14BW** - 14 lb / 6.30kg - 32" handle

Sledge Hammers are also available in Bronze/Copper. Please see page 9.



## Brass SLEDGE HAMMERS

Our brass hammer line is the most durable hammer we offer.

### Fiberglass Handles

provide exceptional breaking resistance to overstrikes, are long-lasting and are colored in high-visibility yellow. Our fiberglass handles have a non-slip safety grip.



**ABC8BF** - 8 lb / 3.60kg - 33" handle



**ABC10BF** - 10 lb / 4.50kg - 33" handle



**ABC12BF** - 12 lb / 5.40kg - 33" handle



**ABC14BF** - 14 lb / 6.30kg - 33" handle

Sledge Hammers are also available in Bronze/Copper. Please see page 9.





# Brass DRILLING & CUT-OFF HAMMERS

Our brass hammer line is the most durable hammer we offer.

### Fiberglass Handles

provide exceptional breaking resistance to overstrikes, are long-lasting and are colored in high-visibility yellow. Our fiberglass handles have a non-slip safety grip.

**Our Brass Hammers** are the most durable hammers we offer and should always be used in place of steel hammers in any metal working application. Our non-marring soft brass head helps absorb impact and helps reduce or eliminates work damage. They are non-sparking for safe use near combustible materials.



**ABC2BFS** - 2 lb / 0.90kg - 8" handle




**ABC3BFS** - 3 lb / 1.35kg - 8" handle



**ABC4BFS** - 4 lb / 1.80kg - 8" handle



**ABC5BFS** - 5 lb / 2.25kg - 8" handle



**ABCWBW** - 2.5 lb / 1.10kg - 12" handle

Drilling and Cutoff Hammers are also available in Bronze/Copper. Please see page 9.



# Brass Hammer Specifications

Our brass hammer line is the most durable hammer we offer.

### Brass Striking Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC1BW	1.0 lbs/0.45 kg	Wood	10"
ABC2BW	2.0 lbs/0.90 kg	Wood	12.5"
ABC3BW	3.0 lbs/1.35 kg	Wood	12.5"
ABC4BW	4.0 lbs/1.80 kg	Wood	15"
ABC5BW	5.0 lbs/2.25 kg	Wood	15"
ABC3BF	3.0 lbs/1.35 kg	Fiberglass	14"
ABC4BF	4.0 lbs/1.80 kg	Fiberglass	14"
ABC5BF	5.0 lbs/2.25 kg	Fiberglass	14"

### Brass Sledge Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC8BW	8.0 lbs/3.60 kg	Wood	32"
ABC10BW	10.0 lbs/4.50 kg	Wood	32"
ABC12BW	12.0 lbs/5.40 kg	Wood	32"
ABC14BW	14.0 lbs/6.30 kg	Wood	32"
ABC8BF	8.0 lbs/3.60 kg	Fiberglass	33"
ABC10BF	10.0 lbs/4.50 kg	Fiberglass	33"
ABC12BF	12.0 lbs/5.40 kg	Fiberglass	33"
ABC14BF	14.0 lbs/6.30 kg	Fiberglass	33"

### Brass Drilling Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC2BFS	2.0 lbs/0.90 kg	Fiberglass	8"
ABC3BFS	3.0 lbs/1.35 kg	Fiberglass	8"
ABC4BFS	4.0 lbs/1.80 kg	Fiberglass	8"
ABC5BFS	5.0 lbs/2.25 kg	Fiberglass	8"

### Brass Cut-Off Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABCWBW	2.5 lbs/1.10 kg	Wood	12"





# Bronze/Copper HAMMERS

Our Bronze/Copper line is the softest face hammer we offer.

## Our Bronze/Copper

line is the softest face hammer we offer and should be used where surface protection is critical. Our Bronze/Copper hammers will not mar harder metals and are safe for industries and applications that require non-sparking implements. Consult the chart on page 9 for more information on the Bronze/Copper hammers. Other special alloys are available on request.



Striking Hammers



Sledge Hammers



Drilling Hammers



Cut-Off Hammers

# Bronze/Copper Hammer Specifications

Our Bronze/Copper line is the softest face hammer we offer.



## Bronze/Copper Striking Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC1BZW	1.0 lbs/0.45 kg	Wood	10"
ABC2BZW	2.0 lbs/0.90 kg	Wood	12.5"
ABC3BZW	3.0 lbs/1.35 kg	Wood	12.5"
ABC4BZW	4.0 lbs/1.80 kg	Wood	15"
ABC5BZW	5.0 lbs/2.25 kg	Wood	15"
ABC3BZF	3.0 lbs/1.35 kg	Fiberglass	14"
ABC4BZF	4.0 lbs/1.80 kg	Fiberglass	14"
ABC5BZF	5.0 lbs/2.25 kg	Fiberglass	14"

## Bronze/Copper Sledge Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC8BZW	8.0 lbs/3.60 kg	Wood	32"
ABC10BZW	10.0 lbs/4.50 kg	Wood	32"
ABC12BZW	12.0 lbs/5.40 kg	Wood	32"
ABC14BZW	14.0 lbs/6.30 kg	Wood	32"
ABC8BZF	8.0 lbs/3.60 kg	Fiberglass	33"
ABC10BZF	10.0 lbs/4.50 kg	Fiberglass	33"
ABC12BZF	12.0 lbs/5.40 kg	Fiberglass	33"
ABC14BZF	14.0 lbs/6.30 kg	Fiberglass	33"

## Bronze/Copper Drilling Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC2BZFS	2.0 lbs/0.90 kg	Fiberglass	8"
ABC3BZFS	3.0 lbs/1.35 kg	Fiberglass	8"
ABC4BZFS	4.0 lbs/1.80 kg	Fiberglass	8"
ABC5BZFS	5.0 lbs/2.25 kg	Fiberglass	8"

## Bronze/Copper Cut-Off Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABCWBZW	2.5 lbs/1.10 kg	Wood	12"





## Features & Benefits

All of our hammers feature:

### NON-SPARKING HEAD

For safe use near combustible materials.

### NON-MARRING HEAD

Helps absorb impact and helps reduce work damage where surface protection is critical.

### DOUBLE FACED HEAD

Cast barrel shaped head offers maximum striking surface while enhancing balance.

### WOOD HANDLES

Our Tennessee grade-A Hickory handles are specially tapered, fire finished, with a tough urethane coating applied, providing better durability and UV protection. They have a textured handle providing a non-slip grip while striking.

### FIBERGLASS HANDLES

Our fiberglass handles are high visibility yellow in color and are ergonomically designed to help prevent injury from repeated use. Cushion grips provide a non-slip grip and maximum comfort while striking. Shoulder protector design prevents breaking during overstrikes.

### BRASS WEDGES

The ABC brass wedge permanently secures the head to the handle and eliminates the spark danger associated with steel wedges used in other hammers.

Proudly Made  
In The USA



## Applications

**ABC Hammers, Inc.** is the leading manufacturer of non-sparking, non-marring, non-magnetic and corrosion-resistant striking hammers. They are specifically designed and manufactured from special brass, bronze and other alloys for safe use in and where hazardous, flammable, or combustible vapors, liquids, dusts or residues may be present. In addition, our hammers should be used in place of steel hammers in any application where surface protection is critical because of their non-marring attributes which include the reduction or elimination of work damage. ABC Hammers should be used by all industrial safety programs and are an inexpensive investment for your company.

ABC Hammers are intended for use in the industries listed to the right because of their non-sparking, non-marring, non-magnetic and corrosion-resistant attributes:

**Making your workplace safer is as easy as ABC...** using non-sparking ABC Hammers in any high risk area where a spark can create a disaster.

### Among the industries we proudly serve:

- Aerospace
- Agriculture
- Aircraft
- Airports (Refueling & Maintenance)
- Armed Forces
- Assembly Operations
- Auto Body Repair
- Automotive Plants
- Chemical Manufacturing
- Confined Space Maintenance
- Construction
- Flammable Materials Manufacturing
- Furniture Manufacturing
- Gas Plants
- Grain Storage & Handling
- Hazmat Handling
- MRO
- Machine Shops
- Metal Fabrication
- Millwright Work
- Mining
- Oil and Gas Drilling & Refining
- Pipeline Construction & Maintenance
- Propane Distribution
- Public Utilities
- Railroads
- Shipyards
- Tanker Trucks
- Tool & Die Making
- Waste Management
- Water Treatment Facilities






## Dead Blow HAMMERS - STANDARD

Our dead blow hammer line sets a new standard for soft face performance.

**Our Dead Blow Hammers** are a one piece, hot cast polyurethane construction, engineered to perform better and outlast rawhide, rubber, lead and other plastic type hammers by 10-20 times. Utilizing the benefits of polyurethane technology, no other plastic or rubber materials currently used can result in a stronger, longer lasting dead blow hammer.



**ABC2DB** - 1.6 lb / 0.74kg - Overall Length 12.75"



**ABC3DB** - 2.8 lb / 1.28kg - Overall Length 14.375"




**ABC4DB** - 3.3 lb / 1.50kg - Overall Length 15.25"

## Dead Blow HAMMERS - SLEDGE

Our dead blow hammer line sets a new standard for soft face performance.



**ABC7DB** - 5.5 lb / 2.49kg - Overall Length 20"



**ABC10DB** - 9.0 lb / 4.08kg - Overall Length 30"



**ABC12DB** - 10.5 lb / 4.76kg - Overall Length 30"



**ABC14DB** - 12.0 lb / 5.44kg - Overall Length 36"



# Dead Blow Features & Benefits

All of our DEAD BLOW hammers feature:

### HOT CAST POLYURETHANE CONSTRUCTION

Our dead blow hammers are a one piece, hot cast polyurethane construction, engineered to perform better and outlast rawhide, rubber, lead and other plastic type hammers by 10-20 times. Utilizing the benefits of polyurethane technology, no other plastic or rubber materials currently used can result in a stronger, longer lasting dead blow hammer.

### STEEL SHOT FILLED CANISTER

Steel shot filled canister creates a dead blow effect for sustained impact, maximum force and power, reduces or eliminates rebound and absorbs the shock on impact. The free flowing shot concentrates the intensity of the hammer strike and increases striking force by up to 40 percent. It also absorbs the blow minimizing bounce back, reducing fatigue and the risk of injury, and improving productivity.

### POLYURETHANE CONVEX STRIKING FACE

Convex faces on heads resist chipping, splitting and are cut resistant. They are designed to withstand severe striking applications. The heads provide a non marring contact surface that eliminates or minimizes denting, marring and damage to struck objects.

### STEEL REINFORCED POLYURETHANE HANDLE

Handles have a heat treated steel reinforced rod that provides added strength and safety by resisting breaking on overstrikes. The handle is fully encased in hot cast custom formulated polyurethane. The comfort design handle absorbs shock, ensures comfort and has a slip-resistant grip along with a flared end which helps prevent the hammer from slipping.

### NON-SPARKING, NON-MARRING AND CHEMICAL RESISTANT

Our dead blow hammers are completely encased with unique polyurethane which eliminates any exposed metal making them spark-resistant for safe use near combustible materials. This specially formulated polyurethane resists most oil, solvents and chemicals. They are also non-marring making them the perfect tool for virtually any hammering application.

### HIGH VISIBILITY

High visibility "Red" color makes them easier and quicker to spot on the job.

Proudly Made  
in the USA



# Dead Blow Hammer Specifications

### Dead Blow Hammers - Standard

ITEM #:	WEIGHT [LBS/KG]	FACE DIAMETER	HANDLE LENGTH
ABC2DB	1.6 lbs/0.74kg	2.00"	10.5"
ABC3DB	2.8 lbs/1.28kg	2.25"	12.0"
ABC4DB	3.3 lbs/1.50kg	2.75"	12.5"

### Dead Blow Hammers - Sledge

ITEM #:	WEIGHT [LBS/KG]	FACE DIAMETER	HANDLE LENGTH
ABC7DB	5.5 lbs/2.49kg	2.75"	16.5"
ABC10DB	9.0 lbs/4.08kg	2.75"	26"
ABC12DB	10.5 lbs/4.76kg	3.25"	26"
ABC14DB	12.0 lbs/5.44kg	3.25"	32"

### Applications/Industries:

- Agriculture
- Aircraft Maintenance
- Assembly Work
- Automotive
- Custom Fabrication
- Construction
- Electrical
- Fire/Public Safety
- Foundry Operations
- Grain Elevators
- HVAC
- Heavy Duty Truck & Equipment
- Landscaping
- Log/Timber Home Building
- Machine Shop
- Machinery Repair
- Marine
- Motorcycle Shop
- Pipeline/Oil Field
- Plumbing
- Railroads
- Shipyards
- Tractor/Farm Equipment
- Waste Treatment Plants

And numerous others.....







### **ABC Hammers, Inc.**

10330 W. Roosevelt Road  
Suite 309  
Westchester, IL 60154  
Phone 708.343.9900  
Toll Free 855.343.9900  
[www.abchammers.com](http://www.abchammers.com)

ABC Hammers, Inc. is the leading manufacturer of the highest quality, non-marring, non-sparking, non-magnetic and non-corrosive striking tools. We have been a family owned company for over 50 years.

The original ABC Brass Hammers were developed by the parent companies, ABC Foundry and American Precision Castings. These hammers were carefully designed to provide superb balance, comfort and control for use in their foundry, pattern making, machining and tooling operations. Over the years, through exposure to customers, suppliers, industry trade associations and word-of-mouth, a market developed for the hammers. This growing demand led to the formation of ABC Hammers, Inc. As the market for ABC Hammers increased, so did the demand for industry-specific shapes, designs, sizes, weights and alloys. From construction sites to auto and body shops, and from manufacturing to mines and oil rigs, the ABC hammer is used in any high risk area where a spark can create a disaster or where the user does not want to mar or damage the striking surface.

**Lifetime Warranty:** ABC Hammers, Inc. warrants its hammers to be defect free in workmanship and materials for the useful life of the product. This warranty does not apply to any defects or problems caused in whole or part by misuse, abuse, alteration, worn out by use, or damage due to ordinary wear and tear. Replacement is the exclusive remedy and ABC Hammers, Inc. makes no other warranties, express or implied, with respect to the hammers or their suitability for specific applications.

