


US NETTING

PRODUCT
CATALOG

Custom Netting & Industrial Products



www.usnetting.com  **US NETTING**

1-800-331-2973 | 1514 Veshecco Dr., Erie, PA 16501

A division of National Tool Grinding, Inc. | © 2017 National Tool Grinding, Inc. All Rights Reserved

Fall Safety Products

Our Fall Safety Netting is made of high tenacity synthetic mesh designed to meet your most rigorous construction demands - and tested to meet or exceed ANSI A10.11 (dated 2010).



Personnel Fall Safety Netting

All of our personnel netting is bordered with 5,000-pound minimum-test synthetic rope with attachment hooks four feet on center and staggered for attachment to other nets.

Personnel Netting & Debris Netting Combo

Get the best of both fall protection netting and debris netting with our Personnel and Debris Combo Netting. *DL=debris liner

Personnel Fall Safety Netting Panels

Product Code:	Size(ft.):	Product Code:	Size(ft.):
PS510	5' x 10'	PS1530	15' x 30'
PS515	5' x 15'	PS1540	15' x 40'
PS1010	10' x 10'	PS1560	15' x 60'
PS1015	10' x 15'	PS2020	20' x 20'
PS1020	10' x 20'	PS2025	20' x 25'
PS1025	10' x 25'	PS2030	20' x 30'
PS1030	10' x 30'	PS2040	20' x 40'
PS1040	10' x 40'	PS2525	25' x 25'
PS1515	15' x 15'	PS2550	25' x 50'
PS1520	15' x 20'	PS3030	30' x 30'
PS1525	15' x 25'	PS3040	30' x 40'

Personnel Netting & Debris Netting Combo


Product Code:	Size(ft.):	Product Code:	Size(ft.):
PS510L	5' x 10' with DL	PS1530L	15' x 30' with DL
PS515L	5' x 15' with DL	PS1540L	15' x 40' with DL
PS1010L	10' x 10' with DL	PS1560L	15' x 60' with DL
PS1015L	10' x 15' with DL	PS2020L	20' x 20' with DL
PS1020L	10' x 20' with DL	PS2025L	20' x 25' with DL
PS1025L	10' x 25' with DL	PS2030L	20' x 30' with DL
PS1030L	10' x 30' with DL	PS2040L	20' x 40' with DL
PS1040L	10' x 40' with DL	PS2525L	25' x 25' with DL
PS1515L	15' x 15' with DL	PS2550L	25' x 50' with DL
PS1520L	15' x 20' with DL	PS3030L	30' x 30' with DL
PS1525L	15' x 25' with DL	PS3040L	30' x 40' with DL



DO YOU NEED A
CUSTOM SIZE?

We specialize in **CUSTOM PANELS!**
Give us a call at **1-800-331-2973.**
Rush services available!

Debris Netting



Debris Netting Quick Buy Panels

Product Code:
DSN(size)HD ex. DSN1216HD

Visit our website or give us a call for more options and custom debris netting panels.



Debris Netting Quick Buy Rolls

Product Code:
VDN(size)HD ex. VDN4150HD

Visit our website or give us a call for more options when ordering debris netting rolls.


In-Stock Debris Net Panel Sizes(ft.):

12' x 16'	12' x 24'	12' x 28'	20' x 20'	20' x 40'
12' x 18'	12' x 26'	12' x 50'	20' x 30'	20' x 50'

In-Stock Debris Net Roll Sizes(ft.):

4' x 150' Black	10' x 300' Black
8.5' x 150' Black	12' x 300' Black
8.5' x 150' White	15' x 150' Black
10' x 150' Black	

Hatch Netting



REDUCE RISK: The Hatch Net System can help you drastically reduce the risk of death or injuries from a fall through in almost any hatch installation. It meets or exceeds all current OSHA and ANSI regulations, affording valuable protection from costly lawsuits, lost time accidents, and OSHA citations and fines. With a safer workplace and fewer accidents, it can also lower workers' compensation and liability costs.

Brackets can be used instead of rails if there are obstructions in the opening.

NOTE: Include mounting rails on first dimension.

NEW OPENING

Product Code:	Size:
HN3060N	30-inch x 60-inch
HN3636N	36-inch x 36-inch
HN4272N	42-inch x 72-inch
HN6048N	60-inch x 48-inch

CONCRETE RETROFIT

Product Code:	Size:
HN2460R	24-inch x 60-inch
HN3232R	32-inch x 32-inch
HN54120R	54-inch x 120-inch
HN7236R	72-inch x 36-inch

Rack Safety Kits



Prevent injuries, protect inventory, and reduce costly work stoppages and clean-ups with Rack Safety Net Systems from U.S. Netting, available as kits for your entire facility. Safety nets can be installed flush or offset from your racking from 2, 4, or 6 inch increments.

What's included in the kit?

- Brackets
- Bolts
- Drill bit
- Galvanized steel cable
- Wire rope clips
- Fastening hooks
- Turnbuckles for adjustment
- Rope bordered safety net

What you must know before purchasing:

1. Width of rack uprights (typically 3" to 6")
2. Height of racking area to be secured
3. Length of area to be secured (typically 10' to 100'+)
4. Select net packages to fit your total area

Medium Duty Rack Safety Net Kits

Medium Duty - 4" Mesh openings - 310lbs. Tensile strength
Kit Includes - Everything needed to install your kit (drill not included)

Product Code: RACKIT-MD-upright width-size ex. RACKIT-MD-3-1020

Upright Width:	Size:
3 inch	10ft. x 20ft. 20ft. x 20ft.
4 inch	10ft. x 25ft. 20ft. x 25ft.
5 inch	10ft. x 30ft. 20ft. x 30ft.
6 inch	10ft. x 40ft. 20ft. x 40ft.
	10ft. x 50ft. 20ft. x 50ft.

Heavy Duty Rack Safety Net Kits

Heavy Duty - 3-1/2" Mesh openings - 1,145lbs. Tensile strength
Kit Includes - Everything needed to install your kit (drill not included)

Product Code: RACKIT-HD-upright width-size ex. RACKIT-HD-3-1020

Upright Width:	Size:
3 inch	10ft. x 20ft. 20ft. x 20ft.
4 inch	10ft. x 25ft. 20ft. x 25ft.
5 inch	10ft. x 30ft. 20ft. x 30ft.
6 inch	10ft. x 40ft. 20ft. x 40ft.
	10ft. x 50ft. 20ft. x 50ft.

Cargo Netting Products

Our years of experience in the field have made us the leading fabricator of custom cargo netting solutions. Made with quality American materials and labor, our cargo nets are second to none.

Custom Cargo Webbing Products

VIEW PRODUCT VIDEOS
AT USNETTING.COM!

We have years of experience designing and building all kinds of nets for a variety of situations and conditions. We can make nets in virtually any shape and size to fit your needs. Give us a call at 1-800-331-2973 or visit www.usnetting.com for more information!

Sewn-In Webbing Anchor Points




Sewn-In Tabbed Anchor Points



Sewn-In Snap Hooks



Webbing




Webbing is a flat strip of woven fabric that is often used in place of rope. Webbing was originally made from cotton but is now most commonly made from synthetic fibers such as polyester, polypropylene, nylon, and Kevlar.

Here at US Netting, we use webbing to make everything from cargo nets to debris nets, lifting nets, and even the jet pack harnesses seen in Men in Black 3. Due to the wide variety of webbing materials available and their varied uses, it is a common component in many of our customers' projects.

Webbing Material Options

Polyester



Polyester webbing has a soft touch, yet is quite strong with a tensile strength of 6,000 pounds at the 1-inch width. It is stronger than nylon webbing, but it is less expensive and the most abrasion resistant. UV, rot, and mildew resistance makes this webbing perfect for prolonged outdoor use and our best selling webbing.

Polypropylene



Polypropylene webbing is a cost-effective yet versatile material. It possesses excellent resistance to mildew, acids, oils, and grease. It is perfect for nautical use as it will not absorb water and even floats. Stretch resistance allows it to retain its shape under stress.

Nylon



Nylon webbing is silky smooth to the touch and has an above average resistance to abrasion and mildew. Nylon will absorb water which makes it not suited for nautical use. Nylon is incredibly durable, retaining a longer field life than polypropylene webbing.

Kevlar



Kevlar webbing is a super material with a superior strength to weight ratio. It is safe for use in temperatures up to 400°F making it perfect for use near hot machinery or engines.



*DO YOU NEED A
CUSTOM SIZE?*

We specialize in CUSTOM PANELS!
Give us a call at 1-800-331-2973.
Rush services available!

Steel Netting



We custom fabricate all of our steel nets in our warehouse where they are subject to strict quality inspections before being cleared for shipment. Our wire nets can be crafted to fit any standard hardware attachments, and we also offer custom hardware and system fabrication, saving you valuable time and money rather than going from supplier to supplier trying to confirm and conform specifications.

Apply steel nets in a preventative capacity to keep highways and work zones clear of rocks and other falling debris and be confident in knowing that they will endure the most extreme environmental conditions while retaining strength.

Standard Hardware

Below are just some of the hardware options available. We have the ability to acquire additional hardware to meet customers' specifications for custom jobs.




Cargo Lifting Nets

We hand make our military grade cargo lifting nets here in the United States. We offer multiple sizes and mesh widths. We build our nets to the specifications of the U.S. military and can custom create any configuration needed. Special materials, colors, and lifting capacities can be specified. If you do need a custom configuration, please contact us at 1-800-331-2973. Military cargo lifting nets come fabricated with 2-inch webbing and 2 different mesh sizes.




Military Grade Lifting Net - 6 std. sizes



- 2-inch polyester webbing
- Orange webbing indicates center load bearing straps
- Large loops on each corner
- These nets have a 4,500lb. capacity

Product Code:	Size:
MGCLN-625-6-2W	6ft. x 6ft. : 6.25 inch opening
MGCLN-10-6-2W	6ft. x 6ft. : 10 inch opening
MGCLN-625-10-2W	10ft. x 10ft. : 6.25 inch opening
MGCLN-10-10-2W	10ft. x 10ft. : 10 inch opening
MGCLN-625-12-2W	12ft. x 12ft. : 6.25 inch opening
MGCLN-625-14-2W	14ft. x 14ft. : 6.25 inch opening

Military Grade HD Lifting Net - 4 std. sizes



- 2-inch polyester webbing
- Loops in all 4 corners
- 6,000lb. capacity
- Custom configurations upon request

Product Code:	Size:
MGCLN-625-6-2WHD	6ft. x 6ft. : 6.25 inch opening
MGCLN-10-6-2WHD	6ft. x 6ft. : 10 inch opening
MGCLN-625-10-2WHD	10ft. x 10ft. : 6.25 inch opening
MGCLN-10-10-2WHD	10ft. x 10ft. : 10 inch opening

Cargo Netting Rolls





Cargo netting by the roll can be used for a wide array of applications. Each roll consists of our 1-inch polypropylene webbing (700lb. tensile strength) and 5-inch mesh openings. Orange webbing marks the perimeter. Rolls are easy to measure and cut.

Product Code:	Size:	Product Code:	Size:	Product Code:	Size:
CNR4125	4ft. x 12.5ft.	CNR8125	8ft.x 12.5ft.	CNR12125	12ft. x 12.5ft.
CNR425	4ft. x 25ft.	CNR825	8ft.x 25ft.	CNR1225	12ft. x 25ft.
CNR450	4ft. x 50ft.	CNR850	8ft.x 50ft.	CNR1250	12ft. x 50ft.
CNR4100	4ft. x 100ft.	CNR8100	8ft.x 100ft.	CNR12100	12ft. x 50ft.


Truck and Trailer Cargo Nets

Truck Cargo Net with Tie-Down Loops Fastening System

1-inch wide black polyester webbing. Working load limit 1,200lbs. The truck cargo net with tie-down loops is available with a debris liner, which is perfect to secure fine loads such as gravel, shredded bark, top soil, and more. *WR=water resistant



Item:	Product Code:	Size:
Loop Cargo Net	TTL-S (small)	83" x 65"
Loop Cargo Net	TTL-L (large)	113" x 90"
Net w/ Debris Liner	TTL-S-DL (small)	83" x 65"
Net w/ Debris Liner	TTL-L-DL (large)	113" x 90"
Net w/ WR Backing	TTL-S-WR (small)	83" x 65"
Net w/ WR Backing	TTL-L-WR (large)	113" x 90"



The Ultimate Truck Cargo Net Tie Down Kit

- 4- 1-inch x 8 feet polyester fastening straps with premium snap hooks
- 4- 1-inch x 8 feet orange polyester tie-down straps
- 1- 2-inch x 25 feet high-tensile tow strap
- 1- 83-inch x 65-inch or 113-inch x 90-inch net
- 1- All-weather bag for easy storage



* - Models available with debris liners or water resistant Cordura backing.



Item:	Product Code:	Item:	Product Code:	Item:	Product Code:
Cargo Net Kit	UTDK-8365	Kit w/ Debris Liner	UTDK-8365-DL	Kit w/ Cordura Backing	UTDK-8365-WR
Cargo Net Kit	UTDK-11390	Kit w/ Debris Liner	UTDK-11390-DL	Kit w/ Cordura Backing	UTDK-11390-WR

Truck Cargo Net with Grommet Fastening System

2-inch wide polyester webbing. Working load limit 1,200lbs. The truck cargo net with grommets is available with a debris liner, which is perfect to secure fine loads such as gravel, shredded bark, top soil, and more.



Item:	Product Code:	Size:
Grommet Cargo Net	TTG-S (small)	55" x 55"
Grommet Cargo Net	TTG-L (large)	55" x 76"
Net w/ Debris Liner	TTG-S-DL (small)	55" x 55"
Net w/ Debris Liner	TTG-L-DL (large)	55" x 76"

Custom Safety Barriers


Safety Barrier Nets are made with various types of webbing-bordered mesh netting, each with their own cord diameters, mesh sizes, and strengths.

Safety Barriers

Borders are made using durable 1-1/2 to 2-inch webbing and nickel-coated brass grommets on each corner and spaced approximately every 12 inches, depending on size. For more information about webbing and webbing material, please see pg. 4.


IMPORTANT NOTICE: Due to custom cutting and sewing, all sales are final.

Knotless Safety Barriers




USN-KN-190

Cord: 1/4 inch
Mesh Size: 1 inch
Tensile: 190lbs.
Colors: Black



USN-KN-330


Cord: 1/4 inch
Mesh Size: 2 inch
Tensile: 330lbs.
Colors: Black



S3000

Cord: 5mm
Mesh Size: 3.5 inch
Tensile: 715lbs.
Colors: Black


Webbing Safety Barriers



Custom Order


Please call 1-800-331-2973 to get started on your custom webbing safety barrier net. See pg. 4 for information on webbing.

Knotted Net Safety Barriers




SBN-12-175

Cord: #12
Mesh Size: 1.75 inch
Tensile: 100lbs.
Colors: Black




SBN-21-075

Cord: #21
Mesh Size: 0.75 inch
Tensile: 210lbs.
Colors: Black




SBN-21-175

Cord: #21
Mesh Size: 1.75 inch
Tensile: 210lbs.
Colors: Black



SBN-30-400

Cord: #30
Mesh Size: 4 inch
Tensile: 310lbs.
Colors: Black



SBN-120-350

Cord: #120
Mesh Size: 3.5 inch
Tensile: 1,145lbs.
Colors: Black

WE CAN CUSTOM BUILD A BARRIER NET TO YOUR SPECIFICATIONS

We manufacture heavy-duty industrial strength nylon barriers and safety nets for aviation, industrial manufacturing, aerospace, conveyors, and safety applications. Our nets are made-to-order and we have made thousands of nets for hundreds of applications. Put our experience to work for you! Contact us today.

If you are looking for a custom size or custom configuration built to the highest quality standards, call us or fill out the request form on our website and our sales engineers will build the net perfect for your job.



DO YOU NEED A
CUSTOM SIZE?


We specialize in **CUSTOM PANELS!**
Give us a call at **1-800-331-2973.**
Rush services available!

Safety Products

We provide the safety & quality that your employees deserve. US Netting can provide custom safety products for construction sites, warehouses, factories, & much more.


Defender Gate Barrier Systems

Defender Gate Ultimate



Stops a 13,100lb. Forklift

- Stops 13,100lb. forklift at 4mph
- 100% made in the USA
- Powder-coated yellow at 42" in height
- Locking gate mechanism for security
- EasyGlide™ allows for effortless operation
- Versatile in tight quarters
- Patent pending design




Product Code:

DGULT-(size) *ex. DGULT-6*

Available sizes:

6ft., 8ft., 9ft., 10ft., 12ft.

Defender Gate



5,000lb. Test Capacity



- 100% made in the USA
- Powder-coated yellow at 42" in height
- Locking gate mechanism for security
- Superior personnel protection
- Zero maintenance required
- Effortless closing and opening
- Patent pending design

VIEW PRODUCT
VIDEOS AT
[USNETTING.COM!](http://USNETTING.COM)

Product Code:
DGSTD-(size) ex. DGSTD-6
Available sizes:
6ft., 8ft., 9ft., 10ft.



Standard Defender Gate



2,000lb. Test Capacity


- 100% made in the USA
- Powder-coated yellow at 42" in height
- Locking gate mechanism for security
- Superior personnel protection
- Zero maintenance required
- Effortless closing and opening
- Patent pending design

VIEW PRODUCT
VIDEOS AT
[USNETTING.COM!](http://USNETTING.COM)

Product Code:
STDSG-(size) ex. STDSG-6
Available sizes:
6ft., 8ft., 9ft., 10ft.



Loading Dock Safety Nets



Wall Mounted Kits

Capable of stopping non-motorized handcarts & light duty electric pallet trucks, this model mounts on brackets specially designed to not interfere with dock door operation. A debris containment option prevents facility contamination while preserving airflow.

- Easy to install
- Allows full door operation
- Low cost of ownership
- Reduces product loss
- All parts included

VIEW PRODUCT VIDEOS AT [USNETTING.COM!](http://USNETTING.COM)



Standard Wall Mounted

Product Code:	Size:	Product Code:	Size:	Product Code:	Size:
OHPW46-B	4ft. x 6ft.	OHPW414-B	4ft. x 14ft.	OHPW424-B	4ft. x 24ft.
OHPW48-B	4ft. x 8ft.	OHPW416-B	4ft. x 16ft.	OHPW426-B	4ft. x 26ft.
OHPW49-B	4ft. x 9ft.	OHPW418-B	4ft. x 18ft.	OHPW428-B	4ft. x 28ft.
OHPW410-B	4ft. x 10ft.	OHPW420-B	4ft. x 20ft.	OHPW430-B	4ft. x 30ft.
OHPW412-B	4ft. x 12ft.	OHPW422-B	4ft. x 22ft.	OHPW432-B	4ft. x 32ft.



Wall Mounted with Debris Liner

Product Code:	Size:	Product Code:	Size:
OHDB46	4ft. x 6ft.	OHDB420	4ft. x 20ft.
OHDB48	4ft. x 8ft.	OHDB422	4ft. x 22ft.
OHDB49	4ft. x 9ft.	OHDB424	4ft. x 24ft.
OHDB410	4ft. x 10ft.	OHDB426	4ft. x 26ft.
OHDB412	4ft. x 12ft.	OHDB428	4ft. x 28ft.
OHDB414	4ft. x 14ft.	OHDB430	4ft. x 30ft.
OHDB416	4ft. x 16ft.	OHDB432	4ft. x 32ft.
OHDB418	4ft. x 18ft.		



DO YOU NEED A CUSTOM SIZE?

We specialize in **CUSTOM SOLUTIONS!**
Give us a call at **1-800-331-2973.**
Rush services available!

Loading Dock Safety Nets


Post Mounted Kits

Bollards provide anchor points capable of bringing a forklift to a stop at approximately 4.5 MPH while protecting door rails from accidental impact. In-ground or above ground posts available to suit your dock environment. Both remove quickly for cleaning and stowing.

- Stops or slows forklifts
- Prevents product loss
- Protects door uprights
- All parts included
- Low cost of ownership
- Promotes workplace safety



Need custom wall brackets or nets? We can fabricate a solution to meet your needs! 1-800-331-2973



Standard Post Mounted

Product Code:	Size:	Product Code:	Size:	Product Code:	Size:
OHPW46-P	4ft. x 6ft.	OHPW414-P	4ft. x 14ft.	OHPW424-P	4ft. x 24ft.
OHPW48-P	4ft. x 8ft.	OHPW416-P	4ft. x 16ft.	OHPW426-P	4ft. x 26ft.
OHPW49-P	4ft. x 9ft.	OHPW418-P	4ft. x 18ft.	OHPW428-P	4ft. x 28ft.
OHPW410-P	4ft. x 10ft.	OHPW420-P	4ft. x 20ft.	OHPW430-P	4ft. x 30ft.
OHPW412-P	4ft. x 12ft.	OHPW422-P	4ft. x 22ft.	OHPW432-P	4ft. x 32ft.

In-Ground Post Mounted

Product Code:	Size:	Product Code:	Size:	Product Code:	Size:
OHIG46-P	4ft. x 6ft.	OHIG414-P	4ft. x 14ft.	OHIG424-P	4ft. x 24ft.
OHIG48-P	4ft. x 8ft.	OHIG416-P	4ft. x 16ft.	OHIG426-P	4ft. x 26ft.
OHIG49-P	4ft. x 9ft.	OHIG418-P	4ft. x 18ft.	OHIG428-P	4ft. x 28ft.
OHIG410-P	4ft. x 10ft.	OHIG420-P	4ft. x 20ft.	OHIG430-P	4ft. x 30ft.
OHIG412-P	4ft. x 12ft.	OHIG422-P	4ft. x 22ft.	OHIG432-P	4ft. x 32ft.



Rope & Cable

Over the years, manufacturers have produced a variety of ropes for a variety of jobs. Each rope has unique strengths and weaknesses and has a wide range of capabilities, but there is no "one size fits all" rope. Don't let the variety scare you.

Kevlar Rope



- 12 Strand Single Braid** *Order by-the-foot or in spools*
• Diameter: 1/8", 1/4", 3/8", 1/2", 1"
Kevlar Core Diamond Braid *Order by 1,000ft. spool*
• Diameter: 1/8"

Polypropylene Rope



- Hollow Braid** *Order 100ft., 250ft., 500ft., 1,000ft. spools*
• Diameter: 1/4", 3/8", 1/2"
Solid Braid *Order by-the-foot or in spools*
• Diameter: 1/2", 5/8"
3-Strand *Order by-the-foot or in spools*
• Diameter: 1/4", 3/8", 1/2", 5/8", 3/4", 1", 1-1/2", 2"

Aircraft Cable



- Galvanized or Stainless Steel** *Order in spools*
• Diameter: 1/8", 3/16", 1/4", 5/16", 3/8"
Clear Vinyl Coated *Order in spools*
• Diameter: 3/16", 1/4"
Clear Nylon Coated *Order in spools*
• Diameter: 1/8", 3/16"

Nylon Rope



- Solid Braid** *Order by-the-foot or in spools*
• Diameter: 1/8", 3/16", 1/4", 3/8", 1/2"
3-Strand Nylon *Order by-the-foot or in spools*
• Diameter: 1/4", 3/8", 1/2", 5/8", 3/4", 1", 1-1/2", 2"

Bungee/Shock Cord



- Bungee/Shock Cord** *Order by spool*
• Diameter: 1/8", 3/16", 1/4", 5/16", 3/8", 1/2"

Solid Braid Polyester



- Solid Braid** *Order by-the-foot or bulk spools*
• Diameter: 1/8", 5/16", 1/2"

Rope Material Properties and Use Cases

POLYPROPYLENE

Positives: Dielectric/insulator (will not conduct electrical current), floats, water resistant, lightweight, low cost, color variety

Negatives: Stretches (although this could be a positive), susceptible to friction, not UV resistant

Common Uses: Work around electric lines, marine applications, swim lane barriers, barriers at golf courses, parks, or even power plants, buoy moorings, aquaculture, net lines

NYLON

Positives: Superior strength, remarkable stretching capabilities, smooth, UV resistant, abrasion resistant, stronger than polypropylene, all-around durability

Negatives: Absorbs water, weakens in water

Common Uses: Towing lines, anchor lines, pulleys, winches, tie-downs, fall-protection systems

POLYESTER

Positives: Abrasion resistant, rot, and UV resistant, retains strength when wet or dry, best general purpose rope, does great in outdoors and tough natural elements

Negatives: Not made for heavy duty use/industrial applications

Common Uses: Rigging, winches, general household uses

KEVLAR

Positives: Strongest rope; is freeze, flame, chemical, water, and stretch resistant; UV resistant coating; far stronger than steel and will not rust; works well in high heat environments

Negatives: Not immune to damage

Common Uses: Winch lines, temperature extreme situations, mooring lines, helicopter slings

Raw Netting Products

Durable, low maintenance, and versatile materials available for an easy to use and fast alternative for your next project. From custom sizes and standard panels to bulk rolls, we have you covered.

Knotted Netting

Knotted netting is a cost-effective variant of knotless netting. Easily repaired by retying knots or splicing in materials. Generally less expensive than knotless netting. Rope or webbing border optional. Please see pg. 4 for webbing information.

Note: *Only #120 is suited for lifting purposes. All others are not suitable for lifting.



Twine Size: #21 **Mesh Size:** 3/4"
Tensile Strength: 210lbs.
Uses: Deck Barrier, Child/Pet Barrier, Shelf Containment



Twine Size: #12 **Mesh Size:** 1-3/4"
Tensile Strength: 100lbs.
Uses: Light duty barrier, Pet barrier



Twine Size: #21 **Mesh Size:** 1-3/4"
Tensile Strength: 210lbs.
Uses: Cargo Van Shelf, Sports Equipment, Baseball Nets



Twine Size: #120* **Mesh Size:** 3-1/2"
Tensile Strength: 1,145lbs.
Uses: Securing shelves against earthquake, Industrial Use, General Containment




Twine Size: #30 **Mesh Size:** 4"
Tensile Strength: 310lbs.
Uses: Cargo containment, Volleyball, Basketball Court Containment, Protect scoreboards, Soccer Nets


**Need Help?
Call us now!**

We specialize in custom netting solutions! Give us a call at 1-800-331-2973 to get started.
Rush services available!


Knotless Netting

Knotless netting material offers a refined look. Softer to the touch and smoother. Rope or webbing border optional. Please see pg. 4 for webbing information.



Twine Size: 1.8mm **Mesh Size:** 1"
Tensile: 190lbs.
Colors: 
Details: Light duty nylon knotless netting. UV stabilizers are added to netting to avoid discoloration. Netting is fire retardant.



Twine Size: 3mm **Mesh Size:** 2"
Mesh Break: 330lbs.
Colors: 
Details: Knotless netting that works excellently in decorative, barrier, and craft applications. Netting is fire retardant.



Twine Size: 5mm **Mesh Size:** 3-1/2"
Burst Strength: 719lbs.
Colors: 
Details: S3000 netting for heavier duty applications. Large mesh size with a 719lb. burst strength makes it an ideal candidate for a barrier.

Sports Products

US Netting carries nets for any level of sport including backyard, intramural, or professional. We offer quality sports practice nets or cages, sports barrier nets, and arena safety nets. Please visit www.usnetting.com to see additional sports products.

What's the best net for each sport?

BASEBALL

#21, #36, #42, #72 twine size with a 1-3/4" square or diamond mesh. The nets are 100% high tenacity solution dyed nylon, water repellent, and can be ordered raw with no border or with a black rope border. It is an excellent training partner for your spring training session and to protect your fans, cars, or windows from those high-flying foul balls.

GOLF

#15, #21, #18 twine size with a 3/4" or 1" diamond or square mesh. Our professional quality DuPont nylon golf nets are superior to any golf net on the market. It has an optional rope border and is sold by the square foot.

HOCKEY

#21, #36, #72 twine size with a 1-3/4" diamond or square mesh. Pro Net II Custom Cut Knotless Nylon Mesh for protecting spectators within the hockey arena setting. Hockey arena netting is high strength and crafted specifically for that use. All netting includes a rope border and has a breaking strength of 155lbs. per mesh.

LACROSSE

#21 twine size with 3/4" square mesh. Our lacrosse netting will hold up to nearly any speed you can throw. It is lightweight and easy to install with a rope border. All custom panels have a choice of no border, a webbing border with grommets, or a black nylon rope border.

Custom Baseball Netting




Custom Project?


We build custom nets to size.
Customer specifies size needed.
Rush services available!




Cable can be used to reinforce your netting.



Square mesh with rope border & snap hooks.



Diamond mesh with rope border & snap hooks.



Our custom baseball netting is available in twine sizes of #21, #36, #42, and #72 with a mesh size of 1-3/4". You have the option of square or diamond mesh and a raw edge or nylon rope border. Cable and hardware, such as snap hooks, are also available upon request. Give us a call at 1-800-331-2973 to get started on your custom project.

Golf Netting



Our professional quality DuPont nylon golf nets are superior to any golf net on the market. We take pride in having top of the line products which stems from American quality craftsmanship.

- Available in 3/4" and 1" diamond or square mesh
- Water repellent netting
- Optional rope border
- Sold by the square foot

Call 1-800-331-2973 or visit www.usnetting.com to request a custom quote or place an order. Size is specified by customer.

Driving Range Netting

Economy



Average Field Life: 4-6 Years Outdoors

Knit Polypropylene

Mesh Size: 1 inch

Color: Black

Break Strength: 50lbs./mesh

Carbon Black UV Inhibitor

Only available by stock size roll without border.

Pro



Average Field Life: 10-16 Years Outdoors

Knit Polypropylene

Mesh Size: 1 inch

Color: Black

Break Strength: 75lbs./mesh

Techmer Amine UV Inhibitor

Only available by stock size roll without border.

Premium



Average Field Life: 10 year MFG Warranty **

Diamond Mesh Knotted Nylon

Size: #18 - 1 inch

Heights 30ft. or greater contain 1 or 2
riblines for additional support.

Color: Black

Can be made in custom sizes with a rope border.

Gym Curtains

We sell the highest quality gym curtains made in the USA. Divide your gym into sections using the heavy duty vinyl curtains.

- All materials fire retardant
- White 10 OZ vinyl coated mesh top
- Top grommeted every foot for simple hanging
- 18 OZ vinyl coated polyester bottom
- Internally weighted
- Choose from multiple colors



Call 1-800-331-2973 or visit www.usnetting.com to request a custom quote or to place an order.

Hockey Arena & Safety Netting



Pro Net II Custom Cut Knotless Nylon 7/8" mesh for protecting spectators within the hockey arena setting. Hockey arena netting is high strength and crafted specifically for that use. Black mesh blends seamlessly into surroundings.

- All netting includes rope border.
- 155lb. breaking strength per mesh.

Product Code:

HA-PN78

Size:

Specified by customer

Drone Netting



Custom drone netting panels can add safety to any flight scenario. We offer a 1-3/4" mesh opening for stopping smaller objects. A 4" mesh opening size available to stop larger objects from penetrating the net area. Optional rope border. Drone racing nets and flight cages also available.

Call 1-800-331-2973 for a custom quote or for more information.

Lacrosse Netting

For the amateur or the professional. Our lacrosse netting will hold up to nearly any speed you can throw. Lightweight and easy to install with a rope border. This is the lacrosse netting you've been waiting for! Protecting players, spectators, or windows. Our netting is constructed to keep you safe. Visit www.usnetting.com or call 1-800-331-2973 to order.

Pest Control Products

Pests come in many forms and can include many different species of insects, birds, and predators. Our nets and pest control products can help protect you, your animals, crops, and assets with little to no hassle.

Mosquito Netting

We can provide custom fabricated mosquito netting panels up to 162" wide with webbing-reinforced borders. We only use the highest quality tight weave no-see-um mosquito netting to provide unmatched protection from mosquitoes and other even smaller pests. This product won't unravel when cut, unlike most store bought nets. Our mosquito nets are also fire retardant. Bulk netting available.

COLOR OPTIONS:  Olive Drab - Polyester  White - Nylon

We stock 162" (13.5 feet) mosquito netting rolls available in white nylon or olive drab polyester. Call to order.



Raw Mosquito Net by the Foot

Product Code: MQPE-(size) ex. MQPE-162

Width: 81 or 162 inches, length specified by customer



Mosquito Coverings

Product Code: MCO-(size)(color) ex. MCO-46W

Sizes: 4'x6', 5'x8', 8'x10', 10'x12'



Economy Mosquito Curtains

Product Code: MQ-CE(color) ex. MQ-CEG

Optional length x width

Reinforced **1-inch** polypropylene webbing border

Grommets at each corner and spaced every 12 inches



Premium Mosquito Curtains

Product Code: MQ-CP(color) ex. MQ-CPG

Optional length x width

Optional hook & loop border on one length or width side

Reinforced **2-inch** black polypropylene webbing border

Grommets at each corner and spaced every 12 inches

BirdGuard Bird Control Products

Roost and Landing Inhibitors: For use on roof ledges, windowsills, signs, trusses, beams, etc.

Pigeon and pest bird spikes provide effective pigeon and bird control by preventing pigeons and birds from landing and roosting on buildings, monuments, or signs. Use on roof ledges, windowsills, trusses, beams – wherever pigeons and birds are roosting. Pigeon and bird spikes apply quickly and easily, are harmless to birds, environmentally friendly, virtually invisible, and are long-lasting.

Birdguard products are available at www.birdguard.com

OVER 1 MILLION FEET SOLD!

Stainless Steel Spikes (for contractors)



Product Code: BGSS

5ft. strips
Base width: 1.5 inches
Total length: 25ft., 50ft., 75ft.,
100ft., 250ft.


Stainless Steel Pigeon & Bird Spikes (for homeowners/Do-it-Yourselfers)



Product Code: BirdGuard Bird Spikes -DIY

5ft. strips
Base width: 1.5 inches
Total length: 10ft., 20ft., 30ft.

Plastic Pigeon & Bird Spikes (easy to install)



**Product Code: BGP-S (standard)
BGP-N (narrow)**

Standard Dimensions: 4.5" x 4.5" x 1"
Narrow Dimensions: 4.5" x 2.5" x 1/2"
12 inch sections
Total length: 10ft., 25ft., 50ft., 100ft.

Additional Products

Bird XPeller Pro



Product Code: BXP(voltage)

Covers up to 1 acre
Voltage: 110V or 220V
High quality natural sounds
Great for the outdoors

Super Bird Xpeller Pro



Product Code: SXP(voltage)

Covers up to 6 acres
Voltage: 110V, 220V, or 240V
4 speakers for quick results
Great for the outdoors


QuadBlaster-4




Product Code: QB(voltage)

6,500 sq. ft. effective area
Voltage: 110V or 220V
Undetectable by the human ear
Best used indoors or semi-enclosed areas

Fabricating Quality Products





US Netting is capable of all types of fabrication and design innovation specializing in webbing and netting for safety and control. We have over 25 years experience and all of our products are made in the USA.

As a division of National Tool Grinding, we also have the ability to manufacture custom carbide cutting tools and fixtures. At National Tool we pride ourselves in the highest quality product at reasonable prices and on-time delivery. In addition to our manufacturing of custom tools and fixtures, we have acquired a complete machining and fabrication facility. This facility allows us to deliver one-stop sourcing to all of our customers.

We will build special tools, machined parts, and hardware, apply custom fabrication, and assemble your product. By inspecting and packaging your product, we will save you time, money, and headaches.

About US Netting



At US Netting, Inc. we focus on three things: Quality, Safety, and Solutions. Since 1983 we have been dedicated to building the best custom nets and continuing our tradition of quality products today. Each custom net is tailored to the requirements of the job, providing the exact solution the project requires, something stock size products from big box stores cannot supply.

We serve all types of customers, including private companies, consumers, television shows, production studios, and government agencies (US Army, Air Force, Marines, Coast Guard, National Guard, NASA). From Men in Black to NASA, our satisfied customer list is constantly growing.

We are considered by many as the premier supplier and fabricator of custom nets. Additionally, our selection of stock and bulk net materials is unmatched in variety and quality. Whether you are looking for a cargo net to lift 15 pounds or 50+ tons, a Kevlar reinforced net to protect personnel from possible shrapnel, or just a golf practice net for the backyard, we deliver the highest quality products. Our 25,000 square foot facility is located in Erie, Pennsylvania.

We look forward to working with you to design the quality custom solution your project deserves.

Paul Galla,
President

Custom Products - It's Our Specialty!


Here at US Netting, we specialize in custom products. In fact, 90% of what we produce in our shop is custom made. Each custom net is tailored to the requirements of the job, providing the exact solution the project requires, something stock size products from big box stores cannot supply. Our team possesses a staunch devotion to fabricating the best nets available. We are considered by many as the premier supplier and fabricator of custom nets.

We can customize just about everything. Some examples include: lifting nets, drone cage netting, Kevlar reinforced netting, safety barrier nets, railgun testing nets, steel nets, rope cargo nets, sports netting, and more! Below are some of our actual custom made products in use today. Visit www.usnetting.com for more information about each custom job.

Give us a call at **1-800-331-2973**, send an email to sales@usnetting.com, or visit www.usnetting.com to request a quote or build your own net!



**Custom Safety Barrier net
for logging facility.**



**Custom Lifting Net with a stronger
weave than normal lifting nets.**



**Kevlar safety blankets designed &
fabricated by US Netting.**

Partial Client List:



- 20th Century Fox
- Archer Daniels Midland
- Brookhaven National Lab
- E & J Gallo
- Harvard University
- Missouri D.O.T.
- New England Patriots
- New York D.O.T.

- New York Department of Parks & Recreation
- New Mexico National Guard
- NOAA, Juneau, AK
- Ohio D.O.T.
- O.C.S. - Quantico, Va
- Parker Hannifan
- Pennsylvania D.O.T.

- PGA Tour
- Smithsonian National Zoological Park
- U.S. Department of Energy
- U.S. Fish and Wildlife
- U.S. Army Corps of Engineers
- Weyerhaeuser



Scan code to visit our website and view all of our products.



Deliver to Safety/Maintenance Manager or

FREE SHIPPING
CODE: 01715
Offer Expires 5/31/17

CALL US AT 1-800-331-2973

ORDER ONLINE AT
WWW.USNETTING.COM

DEBRIS & FALL SAFETY



CARGO AND CUSTOM CARGO NETTING



LOADING DOCK SAFETY NETS




LOADING DOCK SAFETY GATES



ALL PURPOSE NETTING & SAFETY BARRIERS



RAW NETTING



“EXPERTS IN SAFETY NETTING PRODUCTS”